



# PARTS CATALOGUE



283/74 Home Place Office Building, 15th Floor, Soi Sukhumvit 55 (Thonglor 13),  
Sukhumvit Road, Klongton-Nue, Wattana, Bangkok 10110 Thailand

+66 (0) 2 762 8500

Prices valid until 28 February 2023.

All prices exclude VAT. Available from participating John Deere dealers only. Prices apply under reservation of any increases due to currency fluctuations or unforeseeable price increases.



**JOHN DEERE**

NOTHING RUNS LIKE A DEERE

# *CLICK & COLLECT*



## **FINDING PARTS MADE EASY**














Did you know that you can order all the parts you need from your dealer online? All models, any year, always the exact right part for your John Deere – ordering your parts has never been more comfortable. Visit our online parts catalog, enter your machine's model/name or serial number, and browse all available parts. Then select and reserve them with one click and collect them at your dealer in a single visit. Wouldn't it be great if all of life was this simple?

**[PARTSCATALOG.DEERE.COM](http://PARTSCATALOG.DEERE.COM)**

# LEAP AHEAD

## PARTS, TOOLS, AND TIPS TO HELP YOU GROW

### CONTENTS

	Tractor Parts and Attachments	<b>5</b>
	Combine Parts and Attachments	<b>17</b>
	Remanufactured Parts and Components	<b>27</b>
	SPFH Parts and Attachments	<b>29</b>
	Baler Parts and Attachments	<b>37</b>
	Mower Conditioner Parts and Attachments	<b>40</b>
	Seeder & Planter Parts and Attachments	<b>41</b>
	Sprayer Parts and Attachments	<b>42</b>
	Gator™ Parts and Attachments	<b>45</b>
	Accessories and Brackets	<b>49</b>
	Maintenance Parts	<b>54</b>
	Chemicals	<b>59</b>
	High Pressure Washers	<b>61</b>



**EXPERT  
CHECK**



## **EXPERT CHECK: UPTIME AND OTHER BENEFITS**

You need your tractor to do all it can do for you next season. Get more uptime, reduce costs, and ride safer with more comfort. Book an Expert Check.

### **OUR EXPERIENCE, YOUR ADVANTAGE**

Are you wondering what distinguishes the Expert Check from other inspection options? There's a lot: Only Expert Check technicians have years of factory training and use the latest factory inspection lists based on global field data from previous seasons. They're also the only ones with access to the factory tools, analytics, and software to produce a comprehensive report on your tractor's status and needs. That's quality information you can base vital maintenance and repair decisions on.

Looking to save a bundle? Bring in more than one machine for an Expert Check and take advantage of our excellent fleet discounts\*. Book your Expert Check today.

\* At participating dealers only.



## TRACTOR PARTS AND ATTACHMENTS

Owning a John Deere tractor is an investment into opportunity – the foundation for creating an ever improving farming operation.

With your tractor, you acquired a complete lifecycle solution built with premium components on a minimally invasive maintenance schedule, predictive machine health services, superior parts availability, and continuous performance and comfort upgrade options.

**Find out, what's possible! Unlock the full potential of your tractor. Discover and retrofit your machine with features and options you may not have been familiar with.**



## ORIGINAL SEATS: BE KIND TO YOUR BACK



BL16349, BL16348

### SEATS FOR 6R SERIES TRACTORS

- When your seat is in good shape, it helps preserve your back by reducing shocks and vibrations. The added comfort you experience results in more alertness and higher efficiency.
- To maintain its functionality, it's best to replace your seat after approximately 5,000 hours of use.
- Original John Deere seats blend functionality, design and safety to give you the comfort and protection you need.



	ULTIMATE	PREMIUM	STANDARD
<b>SUSPENSION</b>			
Dynamic damping system	■	–	–
Heavy Duty Suspension	■	■*	–
Low Frequency suspension	■	■	■
Lateral Suspension	■	■	■
Comfort Module	■	■	■
Passive air suspension	■	■	■
Fore-and-after suspension	■	■	■
<b>CLIMATE SYSTEM</b>			
	Active Climate System Ventilation & seat heating	Passive Climate System Seat heating	–
<b>WEIGHT ADJUSTMENT</b>			
	Fully automatic	Automatic	Manual
<b>LUMBAR SUPPORT</b>			
	Pneumatic	Pneumatic	Mechanical
<b>FEATURES</b>			
Operator presence switch	■	■	■
Swivel	■	■	■
Backrest extension	■	■	–
<b>SETTINGS</b>			
Adjustable seat cushion (inclination & lengthh)	■	■	–
Adjustable Armrest	w/o tool	w/o tool	w/ tool
w/ CommandARM™, w/ CommandPRO™	BL15956 €X,XXX.XX   £X,XXX.XX	BL16352 €X,XXX.XX   £X,XXX.XX	–
w/ CommandARM™, w/ CommandPRO™	BL16349 (leather) €X,XXX.XX   £X,XXX.XX	–	–
w/ CommandARM™, w/o CommandPRO™	BL15955 €X,XXX.XX   £X,XXX.XX	BL16351 €X,XXX.XX   £X,XXX.XX	–
w/ CommandARM™, w/o CommandPRO™	BL16348 (leather) €X,XXX.XX   £X,XXX.XX	–	–
w/ CommandARM™ IT4	–	BL15747 €X,XXX.XX   £X,XXX.XX	–
w/o CommandARM™	–	BL16350 €X,XXX.XX   £X,XXX.XX	BL16171 €X,XXX.XX   £X,XXX.XX

Legend: ■ included – excluded

\*not for BL15747



## 1. CLIMATE SYSTEMS

### ACTIVE SEAT VENTILATION

- Body sweat is transported through the cover material and stored in the active carbon layer.
- Cool and dry air passes through the ventilation layer and dehumidifies the active carbon layer.
- Experience a comfortable seat climate with a cool, dry seat surface.

### PASSIVE CLIMATE SYSTEM

- When seated, perspiration is absorbed and accumulated in an active carbon layer.
- Accumulated moisture is released to the ambient air when the seat is unoccupied.
- You'll sweat less and less often.

## SEATS FOR 7, 8, 9 SERIES TRACTORS

Do you own one of our older tractors? Then it may be time for a seat replacement. For many models, you too can experience that brand-new-seat feeling again.

### FEATURES:

- Air suspension
- Side and horizontal suspension
- Height & weight adjustment
- Mechanical lumbar support
- Adjustable swivel adapter
- Armrests with height and tilt adjustment
- Seat switch

## 2. SUSPENSION

### DYNAMIC DAMPING SYSTEM

- Added attenuation for low-frequency vibrations.
- Prevents the seat from striking the stops on rough terrain.

### LOW FREQUENCY SUSPENSION

- Damps vertical vibrations and jolts.
- Prevents the seat from bouncing in critical situations as a result of resonance build-up.

### LATERAL SUSPENSION

- Attenuates vibrations and jolts perpendicular to the direction of travel.

### FORE-AND-AFTER SUSPENSION

- Minimizes vibrations when driving fast, while using rear attachments, when pulling a trailer, or while traveling on difficult terrain.

### COMFORT MODULE

- More stable, tougher suspension.



TY16163 – 7000, 7010  
XX,XX €



RE183943 – 7020, 7030,  
8010(T), 8020(T), 8030(T),  
9000 (SN 30001-), 9020(T),  
9030(T)  
XX,XX €

# ORIGINAL JOHN DEERE LED WORK LIGHTS

Not just brighter, but also better for you: Reduce eyestrain with the white, high-contrast, daylight-quality light of our LEDs.



## DIRECT-REPLACEMENT LED LIGHTS

These lights are perfect replacements for existing halogen lights on your tractor. Just swap them out and enjoy far better visibility and driving comfort.



MOUNTING POSITION	2,100 EFF. LUMENS	1,600 EFF. LUMENS	1,600 EFF. LUMENS	1,600 EFF. LUMENS	720 EFF. LUMENS
	FLOOD	FLOOD	FLOOD	FLOOD	FLOOD
Rear cab roof	6020, 6030, 6030 Premium, 6MC, 6RC	6R (side)	7R, 8R(T), 9R(T)	5R Stage IIIB (side & outer), 5M Stage IIIB, 6R	–
Front cab roof	6020, 6030, 6030 Premium, 6MC, 6RC	6R (side)	5R Stage IIIB, 7R, 8R(T), 9R(T)	5M Stage IIIB, 6R	6000, 6010, 7000, 7010, 8000, 8010
Beltline	6020, 6030, 6030 Premium	–	–	6R, 7R, 8R	–
Rear Fender	6020, 6030, 6030 Premium	–	–	6R, 7R, 8R(T), 9R(T)	–
	RE575338	AL225025	RE331642	RE573609	MCXFA1953
	€XX.XX   £XX.XX	€XX.XX   £XX.XX	€XX.XX   £XX.XX	€XX.XX   £XX.XX	€XX.XX   £XX.XX



MOUNTING POSITION	2,200 EFF. LUMENS	2,000 EFF. LUMENS	700 EFF. LUMENS	700 EFF. LUMENS	700 EFF. LUMENS
	FLOOD	FLOOD	TRAPEZOID	TRAPEZOID	TRAPEZOID
Rear cab roof	7020, 8020, 8030, 9020, 9030	5R Stage IIIB (inner)	–	7000, 7010	8000(T), 8010(T)
Front cab roof	7020, 8020, 8030, 9020, 9030	5R Stage IIIB (inner), 6R Panorama roof (side)	–	–	–
Beltline	7020, 7030, 8020, 8030	–	8000(T), 8010(T)	7000, 7010	8010
Rear Fender	7020, 8020, 8030, 9020, 9030	–	7000, 7010, 8000(T), 8010(T)	–	–
	RE574752	AL219331	RE330060	RE330061	RE330062
	€XX.XX   £XX.XX	€XX.XX   £XX.XX	€XX.XX   £XX.XX	€XX.XX   £XX.XX	€XX.XX   £XX.XX





## CATEGORY 4 CAB FILTRATION SYSTEM

Upgrade the cab of your 6R tractor or R40 & R41 Series with 40i & 50i sprayer with a Category 4 filtration system to make it the safest place for spraying!

### ADVANTAGES OF UPGRADING TO A CATEGORY 4 CAB

- Unprecedented protection against hazardous substances
- Driver is allowed to work without protective clothing (according to European standard EN 15695)
- Higher level of comfort for the driver
- Perfect solution for tractors used for spraying
- Only Category 4 cabs offer adequate protection against vapour pollutants
- Highest protection class for cabs

### FEATURES

- Fresh air rate > 30 m³/h (max. 120 m³/h)
- > 20 pa overpressure w/ pressure loss gauge
- > 98% filter efficiency with aerosols and vapors

BKK11579 – 5430i, R4040i, R4050i  
 BWZ10089 – R4140i, R4150i  
 BL16516 – 6R tractors



**NEW**  
for 6R tractors



### EXPERT TIP


#### UPGRADE YOUR AIR

Your is air filtered through a 3-in-1 filter element with active carbon (dust, aerosols and vapours) and overpressures the cab so that contaminants cannot enter.

## ANTI-ALLERGEN CAB AIR FILTERS

Get rid of more than 95% of pollutants and allergens that contaminate the air in your cab when you're mowing, threshing, or baling.

TY27778 – 6R Fresh Air Filter  
 TY27779 – 6R, 6M, 6030 Recirculation Air Filter



### THREE LAYERS OF PROTECTION

- Particle filter layer
- Activated carbon layer
- Biofunctional layer



## HITCH SOLUTIONS

### TRAILER HITCHES – HEIGHT-ADJUSTABLE

Choose from a wide variety of manually and automatically operated hitches.

DESCRIPTION	APPLICATION	PART NUMBER	PRICE €	PRICE £
<b>MANUAL WAGON HITCH</b>				
Cylindrical pin, 30 mm	tractors with 330 mm inner rail width	AL222036	XX.XX	XX.XX
Cylindrical pin, 30 mm	tractors with 390 mm inner rail width	AL222029	XX.XX	XX.XX
Hitch pin for manual hitches	for use with AL222036, AL222029	AL160394	XX.XX	XX.XX
<b>AUTOMATIC WAGON HITCH</b>				
Cylindrical pin, 30 mm	tractors with 330 mm inner rail width	AL222035	XX.XX	XX.XX
Cylindrical pin, 30 mm	tractors with 390 mm inner rail width	BL15936	XX.XX	XX.XX
Ball pin, 38 mm	tractors with 330 mm inner rail width	AL222034	XX.XX	XX.XX
Ball pin, 38 mm	tractors with 390 mm inner rail width	AL222028	XX.XX	XX.XX



Manual wagon hitch, cylindrical pin – AL222029



Automatic wagon hitch, ball pin – AL222028



Hitch pin for manual hitches – AL160394

### TRAILER HITCHES – HEIGHT-ADJUSTABLE – BALL-TYPE AND PITON-FIX

Sturdy, height-adjustable hitches for trailer and many other implement operations.

DESCRIPTION	APPLICATION	PART NUMBER	PRICE €	PRICE £
Piton-Fix hitch	tractors with 330 mm inner rail width	BL15959	XX.XX	XX.XX
Piton-Fix hitch	tractors with 390 mm inner rail width	BL15957	XX.XX	XX.XX
Ball-type hitch, K80	tractors with 330 mm inner rail width	BL15960	XX.XX	XX.XX
Ball-type hitch, K80	tractors with 390 mm inner rail width	BL16502	XX.XX	XX.XX
Ball-type hitch, K50	tractors with 330 mm inner rail width	BL15507	XX.XX	XX.XX



Piton-Fix hitch – BL15957



Piton-Fix hitch – BL15957



Ball-type hitch, K80 – BL15960



Ball-type hitch, K80 – BL16502




Ball-type hitch, K50 – BL15507

## TRAILER HITCHES – INSERTS FOR 3-IN-1 HITCH RAILS

Low position hitches for better traction and easier drive-off. Max static vertical load ball-type 4 t, piton fix 3 t.

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Piton-Fix hitch insert	6020, 6030, 6030 Premium, 6MC, 6RC, 6M, 6R	AL222367	XX.XX	XX.XX
Ball-type hitch insert, K80	6020, 6030, 6030 Premium, 6MC, 6RC, 6M, 6R	AL225421	XX.XX	XX.XX



Piton-Fix insert – AL222367



Ball-type insert – AL225421

## FORCED STEERING SYSTEMS FOR BALL-TYPE HITCHES

For improved safety and reliability with forced steering trailers or tankers, make sure you have the original coupling tie rods fitted to your tractor.

FOR HITCH	BOTH SIDES	RIGHT HAND SIDE	LEFT HAND SIDE
AL225421	BL16152 €X,XXX.XX   £X,XXX.XX	BL16153 €X,XXX.XX   £X,XXX.XX	BL16154 €X,XXX.XX   £X,XXX.XX
BL15960	AL176727 €X,XXX.XX   £X,XXX.XX	AL176728 €X,XXX.XX   £X,XXX.XX	AL205398 €X,XXX.XX   £X,XXX.XX
BL16502	BL16509 €X,XXX.XX   £X,XXX.XX	–	–



BL16152

AL176727

BL16509



BL16153

AL176728



AL205398

BL16154

## 3 POINT HITCH GREASEABLE PINS

- Grease hitch pins to push out dust, eliminate squeaks and achieve outstanding service life.
- Grease regularly, at the shortest maintenance interval needed for other grease points.
- John Deere greaseable hitch pins are available for up to six locations on your rear hitch.

DESCRIPTION	PART NUMBER	PRICE €	PRICE £
7R, 8020(T), 8030(T), 8R(T/X)	BRE10500	XX.XX	XX.XX
9R single reduction and 9RT	BRE10331	XX.XX	XX.XX
9R double reduction and 9RX	BRE10332	XX.XX	XX.XX

Prices are for a set of two pins and two balls.



BRE10332



BRE10500



## BALLASTING

- For optimal stability and steering in the field and during transport, maintaining sufficient weight on the axles is vital.
- Flexible and job-based ballasting of your machine optimizes your fuel consumption, brings the power to ground or enables higher payloads.
- John Deere offers a wide range of ballasting solutions up to 55/kg/hp. Below are some popular choices, but you can get a lot more from your dealer!



### PICK-UP WEIGHTS

DESCRIPTION	PART NUMBER	PRICE €	PRICE £
900 kg – Pick-up weight (for tractors with MFWD only)	BL15083	XX.XX	XX.XX
1150 kg – Pick-up weight (for tractors with MFWD only)	BL15084	XX.XX	XX.XX
1500 kg – Pick-up weight (for tractors with MFWD only)	BL15020	XX.XX	XX.XX
1800 kg – Pick-up weight (for tractors with MFWD only)	AL204830	XX.XX	XX.XX

### POPULAR WHEEL WEIGHTS – 100 KG / 250 KG



DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
<b>ADAPTER SET (2 X 50 KG) FOR 100 KG AND 250 KG – STARTER WEIGHT</b>				
275 mm bolt circle diameter, for two-position steel wheels, outside mounting	6130M-6170M Stage IIIB, 6135M-6195M Stage IV + MY18, 6125R-6150R Stage IIIB, 6130R-6155R Stage IV + MY18	BL15909	XX.XX	XX.XX
335 mm bolt circle diameter, for two-position steel wheels, outside mounting	6170R-6210R Stage IIIB, 6175R-6250R Stage IV + MY18	BL15894	XX.XX	XX.XX

#### QUICK MOUNT WEIGHT SET – BL15909 OR BL15894 ALREADY INSTALLED

200 kg (2 x 100 kg)	6M, 6R	BL16249	XX.XX	XX.XX
500 kg (2 x 250 kg)	6M, 6R	BL16250	XX.XX	XX.XX

#### REAR WHEEL WEIGHTS

Set, 554 kg (2 x 72 kg, 2 x 205 kg) – starter weight	6150R-6210R Stage IIIB, 6175R-6215R Stage IV + MY18, 6140M-6170M Stage IIIB, 7210R-7310R, 8245R-8370R Stage IV, 9R	BL15071	XX.XX	XX.XX
Set, 410 kg (2 x 205 kg) – BL15071 already installed	6150R-6210R Stage IIIB, 6175R-6215R Stage IV + MY18, 6140M-6170M Stage IIIB, 7210R-7310R, 8245R-8370R Stage IV, 9R	BL15076	XX.XX	XX.XX
Set, 77 kg (2 x 38.5 kg) – starter weight	5020, 5M Stage II, 5M (Cab) Stage IIIA, 5R Stage IIIA, 6D, 6000, 6010, 6020 & SE, 6030, 6030 Premium, 7030 (E) Premium, 6MC, 6RC, 6M, 6R	AL119955	XX.XX	XX.XX
Set, 77 kg (2 x 38.5 kg) – AL119955 already installed	5020, 5M Stage II, 5M (Cab) Stage IIIA, 5R Stage IIIA, 6D, 6000, 6010, 6020 & SE, 6030, 6030 Premium, 7030 (E) Premium, 6MC, 6RC, 6M, 6R	AR56632	XX.XX	XX.XX
Set, 110 kg (2 x 55 kg) – starter weight	3130, 940-4440, 1350-3650, 5020, 5M Stage IIIA, 5M Stage IIIB, 5R Stage IIIA, 5075M Stage IV, 6D, 6000, 6010, 6020 & SE, 6030, 6030 Premium, 7030 (E) Premium, 6MC, 6RC, 6M, 6R	AR56636	XX.XX	XX.XX
Set, 110 kg (2 x 55 kg) – AR56636 already installed	3130, 940-4440, 1350-3650, 5020, 5M Stage IIIA, 5M Stage IIIB, 5R Stage IIIA, 5075M Stage IV, 6D, 6000, 6010, 6020 & SE, 6030, 6030 Premium, 7030 (E) Premium, 6MC, 6RC, 6M, 6R	AL119956	XX.XX	XX.XX





## EXPERT TIP

### TOP SECURITY

You can now protect your StarFire™ receiver and John Deere Universal display with the new John Deere PIN code system!



## VANDAL PROTECTION

### LOCKABLE DEVICES

Lockable devices protect your machines against theft and vandalism.

SERIES	PART NUMBER	PRICE €	PRICE £
<b>LOCKABLE DOOR HANDLES</b>			
Most 5-9 Series tractors, 6R FT4 (-1L06130RKG866074)	AL71345	XX.XX	XX.XX
6R FT4 (-1L06130RKG866074)	BL15804	XX.XX	XX.XX
7R MY20-, 8R(T)/8RX MY20-	R569171	XX.XX	XX.XX
<b>LOCKABLE FUEL TANK CAP GREEN</b>			
5E, 5M, 5R, 6 Series tractors with Stage IIIB or Stage IV	AL213203	XX.XX	XX.XX
<b>LOCKABLE FUEL TANK CAP BLACK</b>			
Most 5 and 6 Series tractors before Stage IIIB	AL113087	XX.XX	XX.XX
5E, 5M, 6 Series tractors with Stage IIIB	AL212916	XX.XX	XX.XX
5G	ER067876	XX.XX	XX.XX
5GV, 5GF	ER067943	XX.XX	XX.XX
7000, 7010	RE306511*	XX.XX	XX.XX
7020, 8000 (T), 8010 (T), 8020 (SN -027621), 9000	RE295434*	XX.XX	XX.XX
7030, 8020 (SN 027622-), 8020T, 8030 (T), 8R, 9020 (T), 9030	RE255763*	XX.XX	XX.XX
8R (T)	AT346094*	XX.XX	XX.XX
<b>LOCKABLE DEF TANK CAP – BLUE</b>			
6M Stage IV, 6R Stage IV	AL211572	XX.XX	XX.XX
<b>LOCKABLE HOOD LATCH</b>			
6110R-6130R MY18-20, 6110M-6130M MY18-19, 6125-6140M MY20-	BL16363	XX.XX	XX.XX
6135R-6250R MY18-20, 6135M-6195M MY18-19, 6145M-6195M MY20-	BL16365	XX.XX	XX.XX
<b>LOCKABLE DEVICE FOR STARFIRE™ 6000 RECEIVER</b>			
for all Series	BPF11074	XX.XX	XX.XX

\* Lock is not included in the kit.

### QR CODE

Watch this video to see how vandal protection works



AL211572



AL71345



AL213203



BPF11074



## UPGRADES IN AND AROUND THE CAB

### SUN SHADES

Our sunshades are perfectly integrated into the cab to block bright sunlight, reduce glare, and help you keep the cab cooler on hot days.



BRE10472, RE562587

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Front or rear window	6000, 6010	AL175264	XX.XX	XX.XX
Front or rear window	6020, 6030 (Pr.), 7030 Pr.	AL174359	XX.XX	XX.XX
Front or rear window	6M	BL15198	XX.XX	XX.XX
Front, rear or side window	6R	AL205893	XX.XX	XX.XX
Left hand sun shade – Bracket	7R -MY19, 8R(T) -MY19, 9RT MY14-19	BRE10472	XX.XX	XX.XX
Large left hand sun shade*	7R -MY19, 8R(T) -MY19, 9RT MY14-19	RE562587	XX.XX	XX.XX
Small left hand sun shade*	7R -MY19, 8R(T) -MY19, 9RT MY14-19	RE261504	XX.XX	XX.XX
Front window	7R, 8R, 9R	RE261504	XX.XX	XX.XX
Front window	7000-7030, 8000(T)-8030(T), 9030	RE197943	XX.XX	XX.XX
Rear window	7000-7030, 8000(T)-8030(T), 9030	RE197944	XX.XX	XX.XX
Rear or side window	7R -MY19, 8R -MY19, 9R	RE562587	XX.XX	XX.XX
Rear or right-hand window	7R MY20-, 8R(T)/8RX MY20-	RE593670	XX.XX	XX.XX

\* For bracket BRE10472.

### FOOT RESTS

- Using the mounting bracket we designed for them, these nice foot rests introduced with MY2020 7R and 8R models are now also available for 7R, 8R, and 9R cabs from 2009 on.
- Get them now, swivel your top-comfort seat, switch on your AutoTrac™, stretch out your legs, and enjoy more cab comfort.
- This is a straightforward, direct-fit, bolt-in-place solution built to withstand 180 kgs of force applied to the pegs.



BRE10458

SERIES	PART NUMBER	PRICE €	PRICE £
7R, 8R(T/X) MY20+	BRE10458	XX.XX	XX.XX
7R, 8R(T), 9R(T/X) IT4/FT4, R4030, R4038 self-propelled sprayers, F4365 nutrient applicator	BRE10471	XX.XX	XX.XX

## FLOOR MATS

Check out our perfect-fit, noise-reducing black rubber or beige carpet floor mats.

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Rubber	6R	MCTJHD5561C	XX.XX	XX.XX
Carpet	6R	MCTJHD5561	XX.XX	XX.XX
Rubber	6000-6030 Pr., 6M (-MY2020)	MCTJHD6000C	XX.XX	XX.XX
Carpet	6000-6030 Pr., 6M (-MY2020)	MCTJHD6000	XX.XX	XX.XX



## LEATHER STEERING WHEEL

SERIES	PART NUMBER	PRICE €	PRICE £
5R, 7R, 8R, 9R(X)	RE275283	XX.XX	XX.XX
5M, 6 Series, 7R, 8R(T), 9R(T)	RE282643	XX.XX	XX.XX
7020, 7030, 8020(T), 8030(T), 9020(T), 9030(T)	RE224090	XX.XX	XX.XX
7R (MY20-), 8R(T)/8RX (MY20-)	RE584990	XX.XX	XX.XX



## MIRRORS

### WIDE ANGLE MIRROR

- Stay safe and prevent road accidents that happen because of blind spots.
- Install wide-angle mirrors to broaden your field of vision even with large implements.
- Upgrade your mirrors with our wide-angle solutions and work more safely and productively.

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Electrically adjustable, heatable, both sides	6020, 6030 Premium	BL15904	XX.XX	XX.XX
Electrically adjustable, heatable, both sides	6R	BL16675	XX.XX	XX.XX
Electrically adjustable, heatable, both sides	7R MY14-19, 8R MY14-19, 9R, 9RX	BRE10470	XX.XX	XX.XX
Manually adjustable, left hand	Most 6 Series	BL16110	XX.XX	XX.XX
Manually adjustable, right hand	Most 6 Series	BL16111	XX.XX	XX.XX
Manually adjustable, both sides	6020 Premium, 6030 Premium, 6M	BL16490	XX.XX	XX.XX
Manually adjustable, both sides	5M, 5R	BSJ10473	XX.XX	XX.XX



### HITCH VIEW MIRRORS

Hook and unhook your trailer quickly, safely and efficiently.

SERIES	PART NUMBER	PRICE €	PRICE £
5020, 5E, 5M, 5R, 6MC, 6RC	SJ10016	XX.XX	XX.XX
6010, 6020, 6030, 6030 Premium, 7030 Premium, 6M	AL151224	XX.XX	XX.XX
6R	BL15087	XX.XX	XX.XX





## HOW TO LOAD BETTER



## LOADER PARTS AND ATTACHMENTS\*

- Extensive loader work can be tiring for operators and tough on load and tractor.
- It's easy to upgrade your current John Deere loader to achieve more comfort and performance.
- John Deere offers a range of upgrade solutions like the loader suspension system. Take a look at the options below and contact your dealer for even more parts and attachments.



### HYDRAULIC IMPLEMENT UNLATCHING

Unlatch your implements with a switch without leaving the cab. Manual unlatching is still available.

BCC10339 – for loaders with Euro carrier and multicoupler  
€XX.XX | £XX.XX



### LOADER SUSPENSION SYSTEM

Our effective damping protects your load, your tractor, and enhances driver comfort.

BXX10402 – for 603R, 623R, 643R, 663R, 683R  
€XX.XX | £XX.XX



### ADDITIONAL LOADER LIGHTS

Better visibility means more comfortable and confident driving.

BCC10347 – for 603R, 623R, 643R, 663R, 683R  
€XX.XX | £XX.XX



### RETURN-TO-POSITION SYSTEM (RTP)

Repetitive loader tasks become easier to execute and more accurate with our RTP option.


BL15601 – 6110R-6215R FT4 w/o CommandARM™  
€XX.XX | £XX.XX



### BUCKETS

Built for total durability, designed for quick and easy attachment.

Standard Multi Purpose Bucket  
2,200 mm with grapple  
EC300165  
€XX.XX | £XX.XX



### MANURE FORKS

More uptime with quick-change mechanism – available in multiple widths.

Standard Manure Fork  
1,600 mm with grapple  
EC300161  
€XX.XX | £XX.XX



### BALE HANDLING

These implements fit our Euro carrier and will make light work of the heaviest tasks.

Bale Spike With Foldable Teeth  
700 kgs  
BCC10186  
€XX.XX | £XX.XX



### PALLET FORKS

Highly tensile, with a heavy-gauge steel frame and adjustable tine positions.

Convertible Pallet Fork, 1,600 kg  
EC47710  
€XX.XX | £XX.XX

\* Many additional parts and attachments are available for your tractor, please contact your dealer.





# COMBINE PARTS AND ATTACHMENTS

What are some essential ingredients for a successful harvest? Here are three levels you must score on: Performance, uptime, and cost of operation. To get there, use only original parts and inspect key wear parts regularly.

## PLATFORM

### CROP LIFTERS

---

- Crop lifters ensure that laying crops are effectively picked up and increase the performance in down-crop situations. Intact crop lifters prevent damage to the cutterbar.
- Replace the crop lifters once they are bent or damaged.
- Original John Deere Crop Lifters are easily installed on the knife guards and can be adjusted in three positions to ensure the right angle for a reliable crop flow without the risk of damages.

SERIES	PART NUMBER	PRICE €	PRICE £
600R, 700PF, 600X, 700X	AXE23480	XX.XX	XX.XX



AXE23480



AXE37174



MCXFA1961

## KNIFE GUARDS

- Properly serviced knife guards mean lower power needs, which reduces fuel consumption and translates into increased belt life.
- Replace knife guards when they are broken, bent or if the gap exceeds 5.4 mm.
- Original John Deere Knife Guards feature superior wear characteristics due to the special surface treatment we apply.

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Welded knife guard	600R, 600X, 700X, 700PF	AXE37174	XX.XX	XX.XX
Forged knife guard	600R, 600X, 700X	H153719	XX.XX	XX.XX
Easy check tool	All Series	MCXFA1961	XX.XX	XX.XX

## CUTTING PARTS

- Did you know that up to 80 percent of crop loss can occur at the combine header? In your knife section, smooth precision is absolutely essential for an effective cut – and will save you fuel.
- Replace knife sections when broken or bent, when serrations are rounded and do not grab the crop, or when teeth are missing or the tip is worn to a point.
- Original John Deere knife sections are made using the latest computer controlled hardening processes to deliver longer, more efficient cutting. They'll always fit the first time for fast, downtime reducing changeover.



Z93078 (box of 25)

DESCRIPTION	QUANTITY OF TEETH PER CUTTING EDGE	SERIES	PART NUMBER	PRICE €	PRICE £
Coarse serrated knife section (for dry conditions)	19 teeth	600R, 600X, 700X	Z93077	XX.XX	XX.XX
Fine serrated knife section (for grass and linseed, small grain in green straw and weedy conditions)	25 teeth	600R, 600X, 700X	Z93078	XX.XX	XX.XX

## CUTTERBAR KITS FOR 600X


Save time and money by purchasing a complete cutterbar kit instead of replacing individual parts.

DESCRIPTION	MODEL	PART NUMBER	PRICE €	PRICE £
Coarse serrated	622X, 722X	KXE10306	XX.XX	XX.XX
Coarse serrated	625X, 725X	KXE10308	XX.XX	XX.XX
Coarse serrated	630X, 730X	KXE10309	XX.XX	XX.XX
Coarse serrated	635X, 735X	KXE10310	XX.XX	XX.XX
Coarse serrated	640X, 740X	KXE10311	XX.XX	XX.XX

Cutterbar kits are also available with finely serrated knives



KXE10308

**EXAMPLE: 622R**

**CUTTERBAR SEGMENT OVERVIEW FOR 600R (COARSE SERRATED)**

DESCRIPTION	MODEL	PART NUMBER	PRICE €	PRICE £
Head segment	616R-630R	AH168890	XX.XX	XX.XX
Head segment	635R	AXE19894	XX.XX	XX.XX
Middle segment*	616R-635R	AH168892	XX.XX	XX.XX
Coupler*	616R-635R	AH168906	XX.XX	XX.XX
End segment	616R	AH221747	XX.XX	XX.XX
End segment	618R	AH168896	XX.XX	XX.XX
End segment	620R	AH168898	XX.XX	XX.XX
End segment	622R	AH168900	XX.XX	XX.XX
End segment	625R	AH168902	XX.XX	XX.XX
End segment	630R	AH168900	XX.XX	XX.XX
End segment	635R	AXE20195	XX.XX	XX.XX

Also available for fine serrated cutterbars, see inspection&maintenance guide page 16 or ask your dealer.  
 \* Required quantities may vary with the width of the cutting platform.

**AUGER FINGERS**

- Finger retainers reduce the risk of internal auger damage and unnecessary repair costs by preventing broken fingers from entering the combine.
- Intact auger fingers improve feeding and enable higher harvesting speeds.
- Original John Deere Auger Fingers feature zone hardening and high elasticity so that they can withstand heavier stress levels without deforming or breaking.

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Kit of 10 steel auger fingers, retainer and pins	600R, 700PF, 600F, 600X, 700X	AH214868	XX.XX	XX.XX
Finger cap	600R, 700PF, 600F, 600X, 700X	H168206	XX.XX	XX.XX
Finger bearing	600R, 700PF, 600F, 600X, 700X	AH171602	XX.XX	XX.XX
Finger	600R, 700PF, 600F, 600X, 700X	H169914	XX.XX	XX.XX


**EXPERT TIP**
**OPTIMISE THE FLOW**

Tapered auger flight extensions can help you mitigate uneven material flow into the feederhouse. A smooth, even flow is essential for optimal machine performance.

600R + 600X Series cutting platforms  
 BXE10080



Complete conveyor chain, 3 strand



HXE33371



KJD10531

## FEEDERHOUSE

### CHAINS AND SLATS

- Serviced feederhouse chains and slats are necessary to support the acceleration functionality of the feederhouse and thinning the crop mat, thus enhancing overall combine performance.
- Replace the chains if they make noise during operation or have reached 3% elongation and can no longer be adjusted. Use tool part KJD10531 to check elongation.
- Original John Deere Feederhouse Chains and Slats are designed to last longer. We build them for better wear and shock load protection by engineering better lubrication, using higher grade steel for chain components and stronger side bars.

DESCRIPTION	QUANTITY/ MACHINE	SERIES	MY	PART NUMBER	PRICE €	PRICE £
Chain Strand – outer	2	W540, W540HM, W550, W550HM, T550, T550HM, T560, T560HM	MY14, MY15	AZ63336	XX.XX	XX.XX
Chain Strand – inner	1	W540, W540HM, W550, W550HM, T550, T550HM, T560, T560HM	MY14, MY15	AZ63337	XX.XX	XX.XX
Heavy Duty Chain Strand – outer	2	W540, W540HM, W550, W550HM, T550, T550HM, T560, T560HM	MY14, MY15	AZ102573	XX.XX	XX.XX
Heavy Duty Chain Strand – inner	2 for 6 Walkers 1 for 5 Walkers	W540, W540HM, W550, W550HM, W650, W650HM, W660, W660HM, T550, T550HM, T560, T560HM, T660, T660HM, T670, T670HM	MY14, MY15	AZ102574	XX.XX	XX.XX
Slat	As required - up to 32	W540, W540HM, W550, W550HM, T550, T550HM, T560, T560HM	MY14, MY15	Z100722	XX.XX	XX.XX
Slat	As required - up to 48	W650, W650HM, W660, W660HM, T660, T660HM, T670, T670HM	MY14, MY15	Z100723	XX.XX	XX.XX
Heavy Duty Chain Strand – outer	2	W540, W540HM, W550, W550HM, W650, W650HM, W660, W660HM, T550, T550HM, T560, T560HM, T660, T660HM, T670, T670HM	MY16+	AXE41939	XX.XX	XX.XX
Heavy Duty Chain Strand – inner	2 for 6 Walkers 1 for 5 Walkers	W540, W540HM, W550, W550HM, W650, W650HM, W660, W660HM, T550, T550HM, T560, T560HM, T660, T660HM, T670, T670HM	MY16+	AXE41940	XX.XX	XX.XX
Slat	As required -up to 26	W540, W540HM, W550, W550HM, T550, T550HM, T560, T560HM	MY16+	HXE33371	XX.XX	XX.XX
Slat	As required -up to 39	W650, W650HM, W660, W660HM, T660, T660HM, T670, T670HM	MY16+	HXE33370	XX.XX	XX.XX
Slat	24 for HillMaster™ 9 for Levelland	S660, S670, S680, S685, S690, S660HM, S670HM, S680HM, S685HM, S690HM, S760, S770, S780, S785, S790, S760HM, S770HM, S780HM, S785HM, S790HM	MY12+	HXE24328	XX.XX	XX.XX
Slat	18	S660, S670, S680, S685, S690, S760, S770, S780, S785, S790	MY15+	HXE42402	XX.XX	XX.XX

Complete conveyor chain sets also available.



Keep your combine running great – get your Maintenance and Parts Guide from us.



## THRESHING PARTS

### ROTARY COMBINES

- Serviced threshing elements are essential for maximum threshing capacity.
- Replace threshing elements when you identify wear on concaves, threshing elements and separator tines with the rotor wear gauge.
- Original John Deere threshing elements deliver highest threshing performance at the lowest loss levels.

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
<b>TRISTREAM™ ROTOR (PACKAGE OF 3)</b>				
Smooth threshing elements 1 <sup>st</sup> row	S-Series	AH216674	XX.XX	XX.XX
Smooth threshing elements 2 <sup>nd</sup> row	S-Series	AH216675	XX.XX	XX.XX
Smooth threshing elements 3 <sup>rd</sup> to 5 <sup>th</sup> row	S-Series	AH216677	XX.XX	XX.XX
<b>VARIABLE STREAM ROTOR (PACKAGE OF 3)</b>				
Threshing element, Normal wear, grain	S-Series	KXE10034	XX.XX	XX.XX
Threshing element, High wear, grain	S-Series	KXE10035	XX.XX	XX.XX
Threshing element, High wear, rice	S-Series	KXE10036	XX.XX	XX.XX
Rotor wear gauge, High wear, rice	S-Series	KXE10110	XX.XX	XX.XX



KXE10110



AH216677

### WALKER COMBINES

- Properly serviced rasp bars are crucial for getting you back to your best threshing results.
- Replace them when their profile is below 6 mm thickness.
- Original John Deere Rasp Bars undergo deeper heat treatment to achieve higher durability.

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
<b>RASP BAR SET (PACKAGE OF 2)</b>				
One left-hand side, one right-hand side	205X, 225X	AZ47216	XX.XX	XX.XX
One left-hand side, one right-hand side	206X, 226X	AZ47217	XX.XX	XX.XX
One left-hand side, one right-hand side	95XX WTS, 9780CTS, W5X0, T5X0	AZ58904	XX.XX	XX.XX
One left-hand side, one right-hand side	96XX WTS, W6X0, T6X0	AZ58905	XX.XX	XX.XX
<b>CHROMED RASP BAR SET (PACKAGE OF 5)</b>				
Left-hand side	95XX WTS, 9780CTS, W5X0, T5X0	AH205119	XX.XX	XX.XX
Right-hand side	95XX WTS, 9780CTS, W5X0, T5X0	AH205120	XX.XX	XX.XX
Left-hand side	96XX WTS, W6X0, T6X0	AH205124	XX.XX	XX.XX
Right-hand side	96XX WTS, W6X0, T6X0	AH205125	XX.XX	XX.XX



AH205120



AZ58904



#### EXPERT TIP

##### COMBINE MULTITOOL

A handy pressed steel, branded, multifunctional tool for fast multi-panel access and for checking the gap in combine sieves.


MCXFA1962 – all Series  
€XX.XX | £XX.XX





## FILTERS

- Properly functioning filters keep your combine healthy. They protect components by stopping external contaminants, thereby reducing wear and fuel consumption.
- Filter service should be part of your routine scheduled maintenance.
- Original John Deere filters trap particles as small as one fifth of the width of a human hair. This guarantees standout protection and extended service intervals for more uptime and lower cost of operation.



DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
1 Recirculation Air Filter	W,T (MY14+) and S Series (MY15+)	L214634	XX.XX	XX.XX
2 Cab Air Filter	W,T (MY14+) and S Series (MY15+)	RE284091	XX.XX	XX.XX
2 Anti-Allergen Cab Air Recirculation Filter	W,T (MY14+) and S Series (MY15+)	TY27779	XX.XX	XX.XX
2 Anti-Allergen Cab Air Filter	W,T (MY14+) and S Series (MY15+)	TY27783	XX.XX	XX.XX
3 Air Pre-cleaner Primary Filter	S Series (MY15+)	HXE11090	XX.XX	XX.XX
3 Air Pre-cleaner Primary Filter	W,T (MY14+)	AH164062	XX.XX	XX.XX
4 Air Pre-cleaner Secondary Filter	S Series (MY15+)	HXE11091	XX.XX	XX.XX
4 Air Pre-cleaner Secondary Filter	W,T (MY14+)	AH164063	XX.XX	XX.XX
5 Engine oil filter (13.5 L)	S Series (MY15+)	RE572785	XX.XX	XX.XX
5 Engine oil filter (9 L)	W,T (MY14+)	RE509672	XX.XX	XX.XX
5 Engine oil filter (6.8 L)	W,T (MY14+)	RE539279	XX.XX	XX.XX
6 Fuel filter	W,T (9 L, MY14+), S Series (MY15+)	DZ112918	XX.XX	XX.XX
6 Final fuel filter	W,T (6.8 L, MY16+)	RE560681	XX.XX	XX.XX
7 Primary fuel filter	W,T (9 L, MY14+), S Series (MY15+)	RE539465	XX.XX	XX.XX
7 Primary fuel filter	W,T (6.8 L, MY16+)	RE551507	XX.XX	XX.XX
7 Primary and final fuel filter	W,T (6.8 L, MY14, MY15)	RE541746	XX.XX	XX.XX
8 Air Cleaner Primary Filter	S Series (MY15+)	AXE42066	XX.XX	XX.XX
9 Fuel pre-filter, Standard fuel water separator	W, T (MY14+) and S Series (MY15+)	R502778	XX.XX	XX.XX

## BELTS

- Serviced belts are crucial for maintaining maximum power and efficiency of your machine – increasing uptime and reducing fuel consumption.
- Replace belts when they are ruptured or torn, but also if they start to make irregular noises or have reached 3 % elongation and can no longer be adjusted.
- Original John Deere Belts have a unique rubber mix and aramid cords for a longer life with longer service intervals and enable cost savings of up to 30%.

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
<b>W/T-SERIES</b>				
Clean grain elevator drive	W/T-Series MY08+	HXE51300	XX.XX	XX.XX
Fixed speed feederhouse drive	W540/W650 (Level land only)	H176766	XX.XX	XX.XX
Fixed speed feederhouse drive	W550/ W660, T-Series (Level land only)	HXE12427	XX.XX	XX.XX
<b>S-SERIES</b>				
Feederhouse drive	S-Series MY12+ (Heavy Duty and High Torque)	H174885	XX.XX	XX.XX
Feederhouse drive	S660/S760 MY12+ (Heavy Duty)	H218726	XX.XX	XX.XX
Feederhouse drive	S660, S670, S670HM, S760, S770, S770HM MY12+ (High Torque)	HXE45928	XX.XX	XX.XX
Feederhouse drive	S-Series MY12+ (5 Speed); HM models MY14+	H229019	XX.XX	XX.XX
Rotor drive	S-Series MY12+ (Heavy Duty)	HXE147321	XX.XX	XX.XX
Rotor drive	S-Series MY12+ (Standard)	HXE150557	XX.XX	XX.XX



HXE147321



H174885

H176766

## CHOPPER KNIVES

- Sharp chopper knives boost performance, reduce fuel consumption because they require less power, and prevent soil cultivation follow-up expenses with maximum chopping quality.
- Change the knives once you identify damaged areas or wear. Always replace chopper knives in pairs, i.e. both sides, to ensure the rotor stays properly balanced.
- Original John Deere Chopper Knives are precision-engineered for perfect balance and zone-hardened – for lower operational costs and sustained chopping quality.

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Straight knife (set of 8)	S-Series MY12+	KXE10256	XX.XX	XX.XX
Wing blade (set of 8)	S-Series MY12+	KXE10363	XX.XX	XX.XX
Stationary knife	STS™, S-Series	H215004	XX.XX	XX.XX
Standard chopper serrated and rotary knife	2000, 2200, CTS™, 9780CTS, 9000WTS, W/T-Series, 1x50, 1x70	Z77601	XX.XX	XX.XX
Standard chopper smooth and rotary knife	2000, 2200, CTS™, 9780CTS, 9000WTS, W/T-Series, 1x50, 1x70	Z53454	XX.XX	XX.XX
Standard chopper serrated and stationary knife	2000, 2200, CTS™, 9780CTS, 9000WTS, W/T-Series	HXE13024	XX.XX	XX.XX
Standard chopper smooth and stationary knife	2000, 2200, CTS™, 9780CTS, 9000WTS, W/T-Series	HXE13023	XX.XX	XX.XX
Standard corn smooth knife	2000, 2200, CTS™, 9780CTS, 9000WTS, W/T-Series	Z42176	XX.XX	XX.XX
Premium chopper serrated and rotary knife	9780CTS, 9000WTS, W/T-Series	Z103205	XX.XX	XX.XX
Premium chopper smooth and rotary knife	9780CTS, 9000WTS, W/T-Series	Z103376	XX.XX	XX.XX
Premium chopper stationary knife	9780CTS, 9000WTS, W/T-Series	Z75874	XX.XX	XX.XX
Premium corn serrated knife	9780CTS, 9000WTS, W/T-Series	Z105500	XX.XX	XX.XX



KXE10363




Z103205



## ENHANCE YOUR MACHINE

### ACTIVE YIELD CONVERSION



BXE10797

If an operator would rather be harvesting grain or stopped calibrating the yield monitor system, ActiveYield™ will maximise the system's accuracy with no effort or time away from the harvest. Every field and every variety, ActiveYield™ will be there delivering quality yield data.

SERIES	PART NUMBER	PRICE €	PRICE £
S-Series MY17+	BXE10797	XX.XX	XX.XX
S-Series MY12-MY16	BXE10503	XX.XX	XX.XX

### TAILINGS COVER FOR WALKER COMBINES



KXE10368

Closes the tailings feeding channel in the cleaning shoe to ensure all grain is captured in the clean grain elevator feeding auger.

SERIES	PART NUMBER	PRICE €	PRICE £
W&T MY12+, 5 Walker	KXE10367	XX.XX	XX.XX
W&T MY12+, 6 Walker	KXE10368	XX.XX	XX.XX

### STRAW BUMPER KIT FOR PREMIUM RESIDUE

Smoother straw flow for S-Series combines equipped with a premium residue system. The kit improves your straw quality by creating a fluffier swath which dries faster, with improved baleability.



BXE11100

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Kit with Advanced Power-Cast	Retrofitable back to MY 12 premium residue	BXE11100	XX.XX	XX.XX
Kit with vane tailboard	Retrofitable back to MY 12 premium residue	BXE11101	XX.XX	XX.XX





JOHN DEERE

NOTHING RUNS LIKE A DEERE



# EXPERT CHECK

**OUR EXPERTISE.  
YOUR UPTIME .**

Prepare your machine for the next season with a complete technical diagnosis based on an inspection list unique to John Deere. Schedule your Expert Check today.

# ALL YOUR PARTS UNDER ONE ROOF

Any model, any age: Get all parts for your livestock, forestry, garden and workshop needs from your John Deere dealer. Explore our original parts portfolio right here.



## ORIGINAL PARTS

### WHY DO I NEED ORIGINAL PARTS?

Original Parts and John Deere branded products are made specifically for John Deere and meet strict quality, specification and longevity tests.



## REMANUFACTURED PARTS

### WHEN ARE REMANUFACTURED PARTS IDEAL?

Reman means a remanufacturing process, failed and worn parts which are replaced with original parts and then inspected and tested to original performance specifications.



## ALTERNATIVE PARTS

### CAN I USE ALTERNATIVE PARTS?

Alternative parts are competitive aftermarket parts for older John Deere machines. They are redesigned at a different specification level and authorised to fit John Deere machines.





**JOHN DEERE**  
REMAN

# REMANUFACTURED PARTS AND COMPONENTS

PREMIUM REPAIR SOLUTIONS AT AN AFFORDABLE PRICE

## JOHN DEERE AND REMANUFACTURING

John Deere has been remanufacturing parts and components for more than 20 years. During the remanufacturing process, failed and worn parts are replaced with original parts, and then inspected and tested to original performance specifications. It's an environmentally friendly repair alternative for increased uptime and performance, while lowering operational costs.

## OUR PROMISE – YOUR ADVANTAGE

- John Deere quality
- Uptime – gets machines back to work faster
- Reduced cost of operation
- Reman parts have a one year unlimited warranty
- Reman Complete and Basic Engines have a two year or 2,000 hours (unlimited hours in 1st year) warranty
- Component exchange vs. component repair = lower costs and less machine downtime for you



***"THE QUALITY I'M  
USED TO AT A GREAT  
PRICE – THAT'S  
JOHN DEERE REMAN!"***


CUSTOMER TESTIMONIAL

## THAT'S THE REASON WHY A REMAN OPTION IS HARD TO BEAT!

When you buy a John Deere Reman component, you are buying uptime.

### TOP QUALITY WITH A WARRANTY

Your equipment is the backbone of your business, and when you have a job to do, you need to be able to count on your machines to get it done. When it's time to replace major components in your machines, you need high-quality repair solutions and minimised downtime, at an affordable price. John Deere Reman components hit the mark on all of those requirements, and they're backed by a comprehensive John Deere Reman warranty, so you're covered in the event something goes wrong.



Shown here is just a sample of the complete John Deere Reman offering. Ask us what Reman components are available for your machine.



# SPFH PARTS AND ATTACHMENTS

You'll always work at peak performance when you use original John Deere parts and attachments.

## FEEDROLL BARS

- A smooth crop mat doesn't just mean better silage quality; it also shows that your feed rolls are working efficiently. That's essential for your productivity and profitability.
- The replaceable wear bars on the upper feed roll are easy to exchange if damaged, as they can be removed individually. This saves time and money and is an option of the lower feed roll as well.
- Original John Deere Feed Rolls, Wear Bars and Bolts are made from heavy-duty, induction – hardened stainless steel to help maximise uptime. They are also demagnetised to prevent them from false-tripping the metal detection system.



DESCRIPTION	QTY PER ROLL	SERIES	PART NUMBER	PRICE €	PRICE £
<b>6000, 7000, 8000 AND 9000 SERIES SPFH*</b>					
Reversible steel bar for upper roll	10	8100-8500 (-MY18), 8100-8600 (MY19+)	HXE93580	XX.XX	XX.XX
Plastic strip for upper roll	10	8100-8500 (-MY18), 8100-8600 (MY19+)	HXE87701	XX.XX	XX.XX
Reversible steel bar for lower roll	12	8100-8500 (-MY18), 8100-8600 (MY19+)	HXE100098	XX.XX	XX.XX

\* The table shows examples for 8000 narrow body machines. For specific models, please ask your dealer.



## SHEARBARS

- Shearbars – or stationary knives – are the other half of the chopping mechanism. They are critical to the effective performance of the cutterhead, as they provide a fixed platform against which to cut the crop.
- For crop changes, you don't need to exchange your shearbar if you have the All Crops Dura Line™ Plus Shearbar installed.
- For 8000 and 9000 Series, the entire shearbar assembly pivots toward the cutterhead drum, ensuring a constant optimum cutting gap of 0.2-0.4 mm. The simplified shearbar system allows knives more room, so they can have wider coatings. It also makes shearbar adjustments easier and cuts the cost of replacing Teflon strips.



Grass Shearbar



Corn Shearbar




Dura Line™ Plus Shearbar

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
<b>6000, 7000, 8000 AND 9000 SERIES SPFH*</b>				
Corn	Shearbar kit for 6050, 7200-7500, 7250-7550 and 7180-7580	AZ53906	XX.XX	XX.XX
Grass	Shearbar kit for 6050, 7200-7500, 7250-7550 and 7180-7580	AZ103112	XX.XX	XX.XX
All Crop, Dura Line™ Plus	Shearbar for 6050, 7000, 7050 and 7080	AXE37631 <sup>1</sup>	XX.XX	XX.XX
Corn	8100-8500 (-MY18), 8100-8600 (MY19+)	HXE142406	XX.XX	XX.XX
Grass	8100-8500 (-MY18), 8100-8600 (MY19+)	HXE142407	XX.XX	XX.XX
Dura Line™ Plus	8100-8500 (-MY18), 8100-8600 (MY19+)	HXE172985	XX.XX	XX.XX

\* For the models which are not displayed in this table, please ask your dealer.

<sup>1</sup> 1xPTFE strip Z49449 and 2xE72350 PTFE shim are required for installation.



- 1 | Sandblasted surface ensures precise clamping forces.
- 2 | Induction-hardened cutting zone stays sharp longer.
- 3 | Tough body minimises breakage risk.
- 4 | Extended knife body supports retraction on object impact.
- 5 | Trademark identifies the original John Deere Knife.

## CUTTERHEAD KNIVES

- The wearlife of a knife is directly related to the width of the coating on the chopping edge. Compared to the 7080 Series, the 8000 and 9000 Series have 41% wider coating on maize knives and 33% on grass knives. This improves durability and reduces wear- saving you money on maintenance and fuel costs.
- Use the alignment tools HXE126431 and HXE126432 in the SPFH tool compartment. Always use original bolts to fasten the knives and don't overtighten them (260-230-260 Nm)
- Original John Deere knives feature a tough tungsten carbide coating for high-quality cutting, longer wear life, and lower engine power demands. These knives stay sharper, for longer.




HXE126431, HXE126432

DESCRIPTION	QUANTITY PER CUTTERHEAD ROTOR	SERIES	PART NUMBER	PRICE €	PRICE £
<b>6000, 7000, 8000 AND 9000 SERIES SPFH*</b>					
Corn, straight	40/48/56	6000, 7200-7500, 7250-7550 and 7180-7580	Z63136	XX.XX	XX.XX
Corn, angled RH	20/24/28	6000, 7200-7500, 7250-7550 and 7180-7580	Z62075	XX.XX	XX.XX
Corn, angled LH	20/24/28	6000, 7200-7500, 7250-7550 and 7180-7580	Z62076	XX.XX	XX.XX
Grass, standard	40/48/56	6000, 7200-7500, 7250-7550 and 7180-7580	Z69500	XX.XX	XX.XX
Grass, Dura Line™	40/48/56	6000, 7200-7500, 7250-7550 and 7180-7580	Z102741	XX.XX	XX.XX
Grass, Dura Line™	40/48/56/64	8100-8500 (-MY18) 8100-8600 (MY19+)	HXE53568	XX.XX	XX.XX
Corn, Dura Line™	40/48/56/64	8100-8500 (-MY18) 8100-8600 (MY19+)	HXE53570	XX.XX	XX.XX

Don't forget to order the necessary knife fixing parts (cover plate, nut bar, bolts)

\* Available for all models, ask your dealer.



HXE53570



HXE53568

## SHARPENING STONES

- The perfect mix of grains and sintered corundum of John Deere sharpening stones will guarantee the best edge for your knives, more efficient cutting, and reduce fuel consumption.
- Developed to perform 450 grinding cycles, the counter on the display will tell you when to replace the stone.
- Original John Deere Sharpening Stones are specially developed for your John Deere SPFH. The density and grainsize are perfectly balanced. The stone will always fit the first time, for fast, downtime-reducing changeover.




AZ56626




AZ53747

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Sharpening stone	6010 and 6050 (-504991)	AZ53747	XX.XX	XX.XX
Sharpening stone	6050 (504992-), 7000, 7050 and 7080	AZ56626	XX.XX	XX.XX
Sharpening stone	8000 and 9000	AXE17437	XX.XX	XX.XX



John Deere



Competition



**EXPERT TIP**

**WE HAVE A WINNER**


A 2017 kernel processor benchmark test compared a John Deere KP chromed roll with an aftermarket competitor to reveal that the John Deere roll's shaft hardness is 40% higher and that the tooth hardness of the John Deere roll was almost double that of the competitor.

**KERNEL PROCESSOR ROLLS (CORN)**


The intense processing of our Premium KP™ delivers excellent forage quality at any length of cut (LOC). Our XStream KP™ is the heavy-duty solution for high-throughput, high-horsepower machines and processing at any LOC, any crop, in all conditions.

DESCRIPTION	SERIES	PART NUMBER	PART NUMBER	PRICE €	PRICE £
<b>6000 AND 7000 SERIES SPFH</b>		<b>UPPER OR FRONT</b>	<b>LOWER OR REAR</b>		
Triangular teeth	6000, 7200-7500, 7250-7550, 7180-7580 Series	AZ102631 (107)	AZ102631 (107)	XX.XX	XX.XX
Saw teeth, corn	6000, 7200-7500, 7250-7550, 7180-7580 Series	AZ101800 (107)	AZ101800 (107)	XX.XX	XX.XX
Dura Line™ Saw teeth, corn	6000, 7200-7500, 7250-7550, 7180-7580 Series	AZ101376 (107)	AZ101376 (107)	XX.XX	XX.XX
XCut	7200-7500 7250-7550 7180-7580 Series	AXE84266 (95)	AXE84267 (115)	XX.XX	XX.XX
<b>8000 AND 9000 SERIES SPFH</b>					
JD Premium KP™ Standard Sawtooth	8100-8500 (-MY18), 8100-8600 (MY19+)	AXE43571 (118)	AXE43572 (118)	XX.XX	XX.XX
JD Premium KP™ Dura Line™ Sawtooth	8100-8500 (-MY18), 8100-8600 (MY19+)	AXE43639 (118)	AXE43640 (118)	XX.XX	XX.XX
JD XStream KP™ Dura Line™ Sawtooth	8300-8600 (MY19+)	AXE74516 (110)	AXE74517 (145)	XX.XX	XX.XX
JD XStream KP™ Dura Line™ XCut	8300-8600 (MY19+)	AXE74518 (110)	AXE74519 (145)	XX.XX	XX.XX
JD XStream KP™ Dura Line™ Whole crop XCut	8300-8600 (MY19+)	AXE74519 (145)	AXE74520 (165)	XX.XX	XX.XX


Also available for 8600 -8800 from MY18 and for 9600-9900 – ask your dealer



JD Premium KP™ Standard Sawtooth | For corn – provides higher aggressiveness



JD Premium KP™ Dura Line™ Sawtooth | For corn – provides increased lifetime due to the hard chroming



JD XStream KP™ Dura Line™ Sawtooth | For extreme kernel processing at any length of cut







Keep your SPFH running great – get your Maintenance and Parts Guide from your dealer



## BLOWER PADDLES

- Blower paddles help elevate the crop the more than 4m between the accelerator exit and the spout end, overcoming the friction along the transition and spout liners.
- Change paddles regularly to ensure proper ejection from the spout flap.
- There is a special tool stored in the toolbox to check paddle/liner settings. Basic gap setting is: MAIZE: 1.5 mm (+/-0.5 mm) GRASS: 3 mm (+/-0.5 mm).




HXE37067

DESCRIPTION	APPLICATION	QTY PER BLOWER ROTOR	SERIES	PART NUMBER	PRICE €	PRICE £
<b>6000, 7000, 8000 AND 9000 SERIES SPFH*</b>						
Kit of straight paddles	12 x straight paddles and screws for classic blower	1	6000, 7200-7500, 7250-7550 (-511705)	AZ53486	XX.XX	XX.XX
Straight paddle	High performance blower, normal conditions	8	7250-7550 (511706-) and 7180-7580	HXE29868	XX.XX	XX.XX
Serrated paddle LH	High performance blower, in sticky conditions LH	4	7250-7550 (511706-) and 7180-7580	HXE34827	XX.XX	XX.XX
Serrated paddle RH	High performance blower, in sticky conditions RH	4	7250-7550 (511706-) and 7180-7580	HXE34828	XX.XX	XX.XX
Straight paddle	Normal conditions	10	8100-8500	HXE37067	XX.XX	XX.XX

Specialised parts for sticky conditions also available.  
\* For specific models, please ask your dealer.

## PERFORMANCE AND ENHANCEMENT KITS

Adapt your SPFH to your specific conditions and take things to the next level with our SPFH Performance kits. Stone detection kits and spout extensions help you get the most out of your SPFH.



Spout Extension



Additive dosing system



Stone Detection kit



### EXPERT TIP

There are many ways to increase the comfort, performance, and versatility of your SPFH – your dealer can help!



## FILTERS

- Properly functioning filters keep your combine healthy. They protect components by stopping external contaminants, thereby reducing wear and fuel consumption.
- Filter service should be part of your routine scheduled maintenance.
- Original John Deere filters trap particles as small as one fifth of the width of a human hair. This guarantees standout protection and extended service intervals for more uptime and lower cost of operation.



DESCRIPTION	PART NUMBER	PRICE €	PRICE £
<b>ENGINE</b>			
1 DEF Suction Filter (only 8000 series)	DZ110562	XX.XX	XX.XX
2 DEF Tank Vent Filter	H216169	XX.XX	XX.XX
3 DEF Dosing Unit Filter (only 8000 series)	DZ114640	XX.XX	XX.XX
4 Main Air cleaner	HXE43545 (9 L)	XX.XX	XX.XX
4 Main Air cleaner	HXE60966 (13.5 L)	XX.XX	XX.XX
4 Main Air cleaner	AZ104110 (19 L) up to MY18	XX.XX	XX.XX
4 Main Air cleaner	2 x HXE43545 (24 L) from MY19	XX.XX	XX.XX
5 Safety Air cleaner	HXE43546 (9 L)	XX.XX	XX.XX
5 Safety Air cleaner	HXE60967 (13.5 L)	XX.XX	XX.XX
5 Safety Air cleaner	AZ104111 (19 L) up to MY18	XX.XX	XX.XX
5 Safety Air cleaner	2 x HXE43546 (24 L) from MY19	XX.XX	XX.XX
6 Engine Oil Filter	RE509672 (9.0 L)	XX.XX	XX.XX
6 Engine Oil Filter	RE572785 (13.5 L)	XX.XX	XX.XX
6 Engine Oil Filter	2 x DZ121669 (19 L) -MY18	XX.XX	XX.XX
6 Engine Oil Filter	LW11427521 + 2 x LW12403708 (24 L) MY19+	XX.XX	XX.XX

DESCRIPTION	PART NUMBER	PRICE €	PRICE £
7 Fuel Filters	RE525523 (9 L T2)	XX.XX	XX.XX
7 Fuel Filters	DZ112918 + RE532952 (13.5 L T2)	XX.XX	XX.XX
7 Fuel Filters	DZ112918 + RE539465 (9 L & 13.5 L FT4)	XX.XX	XX.XX
7 Fuel Filters	RECF51976300 + 2 x RECFF0578200 (19 L) MY18+	XX.XX	XX.XX
<b>BASIC HYDRAULIC</b>			
8 PTO Gearbox Filter Element	AXE27449	XX.XX	XX.XX
9 Hydraulic System Tank Filter Element	AXE27447	XX.XX	XX.XX
<b>PRODRIVE™ ONLY</b>			
10 ProDrive™ Transmission Oil Filter Element	AXE27449	XX.XX	XX.XX
<b>CAB</b>			
11 Recirculation Air Filter	L214634	XX.XX	XX.XX
11a Anti-Allergen Recirculation Filter	TY27779	XX.XX	XX.XX
12 Air Filter	RE284091	XX.XX	XX.XX
12a Anti-Allergen Air Filter	TY27783	XX.XX	XX.XX
<b>ADDITIVE DOSING SYSTEM</b>			
13 High Volume ADS Filter	AXE38488	XX.XX	XX.XX
14 Nozzle Filter	AXE38496	XX.XX	XX.XX

## DURA LINE™ PARTS HIGH WEAR RESISTANCE LASTING 4 TIMES LONGER

- Did you know that the incredibly hard coating of Dura Line™ parts also produces a high self-cleaning effect that reduces crop build-up?
- Add Dura Line™ parts to customize your ex-factory package, and improve the wear resistance where you think it's necessary.
- Original John Deere Dura Line™ parts have proven to be up to 138% more cost-efficient than benchmarked competitive parts.

## REGULAR AND DURA LINE™ WEAR LINERS

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
<b>6050 AND 7000 SERIES SPFH</b>		<b>REGULAR WEAR</b>		
Spiral band	7200-7500, 7250-7550, 7180-7580	AXE40436	XX.XX	XX.XX
KP Chute	7200-7500, 7250-7550, 7180-7580	AZ71588	XX.XX	XX.XX
Grass chute	7200-7500, 7250-7550, 7180-7580	Z78611	XX.XX	XX.XX
Blower chute	7200-7500, 7250-7550, 7180-7580	AZ55555	XX.XX	XX.XX
Blower band	7200-7500, 7250-7550, 7180-7580	Z67028	XX.XX	XX.XX
1 <sup>st</sup> Spout liner Hardox 400 (length 848 mm)	7050 (509964-) -7080	AZ103510	XX.XX	XX.XX
2 <sup>nd</sup> Spout liner w/o Harvest Lab (length 2,000 mm)	6050 (504994-) -7000 (-509963)	AZ101740	XX.XX	XX.XX
2 <sup>nd</sup> Spout liner w/o Harvest Lab (length 1,800 mm)	7050 (509964-) -7080	AZ103382	XX.XX	XX.XX
Middle flap	6050 (504994-) -7000	AZ54380	XX.XX	XX.XX
End flap	6050 (504994-) -7000	AZ53234	XX.XX	XX.XX

All these parts are available for 7700-7980, ask your dealer about specific models.

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £	PART NUMBER	PRICE €	PRICE £
<b>8000 AND 9000 SERIES SPFH</b>		<b>REGULAR WEAR</b>			<b>DURA LINE™</b>		
					<b>BASIC</b>	<b>PREMIUM</b>	<b>ULTIMATE</b>
Spiral Band	8100-8500 -MY18, 8100-8600 MY19+	AXE72907	XX.XX	XX.XX	AXE74478	■	■
Accelerator Band	8100-8500 -MY18, 8100-8600 MY19+	AXE41235	XX.XX	XX.XX	AXE42112	■	■
Spout Flap (Middle)	8100-8500 -MY18, 8100-8600 MY19+	AXE52630	XX.XX	XX.XX	AXE55603	■	■
Spout Flap (end)	8100-8500 -MY18, 8100-8600 MY19+	AXE68374	XX.XX	XX.XX	AXE68375	■	■
Spout Wear Liners w/o HLAB	8100-8500 -MY18, 8100-8600 MY19+	AXE28058	XX.XX	XX.XX	HXE144912	-	■
Spout Wear Liners	8100-8500 -MY18, 8100-8600 MY19+	HXE144911	XX.XX	XX.XX	AXE29779	-	■
Accelerator Side Wall Liners	8100-8500 -MY18, 8100-8600 MY19+	HXE115395 HXE115394	XX.XX	XX.XX	HXE122283 HXE122307	-	■
Front Chute Side Liners LH	8100-8500 -MY18, 8100-8600 MY19+	HXE28379	XX.XX	XX.XX	HXE59380	-	■
Front Chute Side Liners RH	8100-8500 -MY18, 8100-8600 MY19+	HXE28378	XX.XX	XX.XX	HXE59388	-	■
Transition Front Liners	8100-8500 -MY18, 8100-8600 MY19+	-	XX.XX	XX.XX	AXE59678 AXE59679	-	■
Smooth Roll Scraper	8100-8500 -MY18, 8100-8600 MY19+	HXE113274	XX.XX	XX.XX	HXE78260	■	■

Similar parts are available for 8600-8800 SPFH up to MY18 and for 9600-9900 SPFH from MY19

- These parts are already in your machine, if you ordered it with the respective Dura Line™ package. Consider replacing or adding the Dura Line™ parts your ex-factory package does not include to improve wear resistance where you need it. All Dura Line™ parts are available separately.



## COATED SERVICE KIT FOR ROTARY HEADER DRUM

Our exclusive coated blades from Kemper will provide sustained sharpness throughout use and longer service life. Our service sets include all blades, scrapers, special bolts and nuts.



LCA109994

HEADER TYPE	SET QUANTITY REQUIRED	PART NUMBER	PRICE €	PRICE £
M4500 (=445)	1	LCA109994	XX.XX	XX.XX
M4500 (=445)	1	LCA109995	XX.XX	XX.XX
345 <sup>plus</sup>	3	LCA79040	XX.XX	XX.XX
360 <sup>plus</sup> M6008	4	LCA79040	XX.XX	XX.XX
375 <sup>plus</sup>	5	LCA79040	XX.XX	XX.XX
390 <sup>plus</sup>	6	LCA79040	XX.XX	XX.XX
460 <sup>plus</sup>	2	LCA89940	XX.XX	XX.XX
475 <sup>plus</sup>	2	LCA89940	XX.XX	XX.XX
475 <sup>plus</sup>	1	LCA79040	XX.XX	XX.XX
490 <sup>plus</sup>	3	LCA89940	XX.XX	XX.XX

## BOLT-ON CLEANER SETS

Always replace worn or damaged cleaners to improve crop flow and reduce power requirements.



LCA87284

HEADER TYPE	PART NUMBER	PRICE €	PRICE £
330 / 345 / 360 / 375	LCA87284	XX.XX	XX.XX

## ATTACHMENT FOR BIG DRUM HEADERS

You can improve cross-feeding by rebuilding the top covers of the gathering drums (inner and outer drums). This kit will give you better crop passage, lower plant losses, and better reversal behaviour.

HEADER TYPE	DESCRIPTION	PART NUMBER	PRICE €	PRICE £
475 <sup>plus</sup> , 490 <sup>plus</sup>	Adapter	LCA123900	XX.XX	XX.XX

## WEAR PARTS FOR GATHERER POINTS

Instead of replacing the entire gatherer points frame, you can easily repair worn areas with these kits, which include parts for left and right big drums.



LCA129302

QUANTITY REQUIRED PER HEADER TYPE				DESCRIPTION	PART NUMBER	PRICE €	PRICE £
460 <sup>PLUS</sup>	460 <sup>PLUS</sup> STALKBUSTER™	475 <sup>PLUS</sup>	490 <sup>PLUS</sup>				
2	2	2	3	Attachment	LCA129302	XX.XX	XX.XX
1	1	2	2	Attachment	LCA129257	XX.XX	XX.XX
1	1	–	1	Attachment	LCA129258	XX.XX	XX.XX



# BALER PARTS AND ATTACHMENTS

Achieve the goals you're working so hard for – use our original parts and attachments to boost your productivity and uptime.

## BULK BELTS FOR ROUND BALER

Priced by the metre, this is the most cost-efficient way to re-belt your John Deere round baler.

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
50 m roll bulk belt	All round balers	AFH202038	XX.XX	XX.XX
100 m roll bulk belt	All round balers	AFH202039	XX.XX	XX.XX

Ask us about our belt fastener tools and parts.



## BALER BELTS

Longer life and best performance: Priced by the metre, Diamond tread baler bulk belts for round balers are the most cost-efficient way to re-belt your John Deere Round Baler.

DESCRIPTION	LENGTH	QUANTITY	SERIES	PART NUMBER	PRICE €	PRICE £
Short	13.07 m	2	592, 854, 862, 864	DC200782	XX.XX	XX.XX
Long	13.21 m	4	592, 854, 862, 864	DC200783	XX.XX	XX.XX
Short	10.23 m	2	572, 842	DC45786	XX.XX	XX.XX
Long	10.42 m	4	572, 842	DC45787	XX.XX	XX.XX
Short	11.71 m	2	582, 852	DC45784	XX.XX	XX.XX
Long	11.85 m	4	582, 852	DC45785	XX.XX	XX.XX
Short	11.45 m	2	854	DC200784	XX.XX	XX.XX
Long	11.59 m	4	854	DC200785	XX.XX	XX.XX
Standard	11.65 m	6	V451G, V451M	DC225342	XX.XX	XX.XX
Standard	12.63 m	6	V461M	DC225343	XX.XX	XX.XX
Standard	–	2	V451R, 960	CC125212	XX.XX	XX.XX
Standard	–	2	V461R, 990	CC126215	XX.XX	XX.XX

1 | Nylon and polyester fabric for added strength.


2 | Four rubber mats seal the nylon and polyester layers.

3 | Nylon fabric in the centre prevents stretching.

4 | All layers are vulcanised through a special process.

5 | Flat inside layer glides over rollers without heat build-up.





## PRE-CUTTER

- Sharp knives minimise stress on your machine, reduce power requirements, and reduce fuel consumption. Because they cut cleanly, they decrease torque loads on drivelines by up to 30% and use up to 10% less fuel.
- We recommend replacing the knives as soon as they have cracks or are broken.
- John Deere Pre-cutter Knives are double tempered, for better resistance and high elasticity.

DESCRIPTION	QUANTITY	SERIES	PART NUMBER	PRICE €	PRICE £
Precutter Knives	14 or 25	623, 644, 744	CC131160	XX.XX	XX.XX
Precutter Knives	14 or 25	854, 864	CC131764	XX.XX	XX.XX
Precutter Knives	13 or 25	960, 990, C4XXR, F4XXM, F4XXR	CC142889	XX.XX	XX.XX
Precutter Knives	14	568, 578, 678, 582, 592	CC142889	XX.XX	XX.XX



## ROUND BALER PICK UP TEETH

Original John Deere pick-up teeth have five coils and guarantee high picking efficiency without damaging other components. Shot-peened to resist bending and breaking, they'll deliver up to 47% longer wear life.

DESCRIPTION	LENGTH	QUANTITY	SERIES	PART NUMBER	PRICE €	PRICE £
Pick-up tooth	1.41 m	36	572, 582, 592	CC32965	XX.XX	XX.XX
Pick-up tooth	1.81 m	48	572, 582, 592, 842, 852, 862	CC25176	XX.XX	XX.XX
Pick-up tooth	2.00 m	52	568, 578, 572, 582, 592, 623, 842, 852, 862, 854, 864	CC25176	XX.XX	XX.XX
Pick-up tooth RH	2.20 m	4	572, 582, 592 (-69999)	CC50764	XX.XX	XX.XX
Pick-up tooth LH	2.20 m		572, 582, 592 (-69999)	CC50765	XX.XX	XX.XX
Pick-up tooth	2.20 m	56	572, 582, 592 (-69999)	CC103854	XX.XX	XX.XX
Pick-up tooth LH	2.20 m	4	572 582, 592 (070001-), 578, 852, 862, 854, 864	CC128825	XX.XX	XX.XX
Pick-up tooth RH	2.20 m	4	572 582, 592 (070001-), 578, 852, 862, 854, 864	CC128826	XX.XX	XX.XX
Pick-up tooth	2.20 m	56	572 582, 592 (070001-), 578, 852, 862, 854, 864	CC128802	XX.XX	XX.XX
Pick-up tooth LH	2.20 m	5	960, 990 (-139999)	CC123738	XX.XX	XX.XX
Pick-up tooth RH	2.20 m	5	960, 990 (-139999)	CC123739	XX.XX	XX.XX
Pick-up tooth	2.20 m	70	960, 990 (-139999)	CC123562	XX.XX	XX.XX
Pick-up tooth	2.20 m	85	960, 990 (140001-), C4XXR, F4XXM, F4XXR	CC123562	XX.XX	XX.XX



## LARGE SQUARE BALER PARTS

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Set of 15 spare knives for MaxiCut™ HC15	L1533	AFH213928	XX.XX	XX.XX
Set of 23 spare knives for MaxiCut™ HC23	1424C, 1434C, L1524, L1534, L624, L633, L634	AFH214472	XX.XX	XX.XX
Knife	1424, 1424C, L1524, L1534, L1624, L1634	FH313972	XX.XX	XX.XX
Plunger knife	1433, 1433C, 1424, 1424C, 1434, 1434C, L1524, L1534, L624, L633, L634	FH313977	XX.XX	XX.XX
Plunger knife	1433, 1433C, 1424, 1424C, 1434, 1434C, L1524, L1533, L1534, L624, L633, L634	FH313975	XX.XX	XX.XX
Counter knife	1424, 1424C, L1534, L1524, L624, L634	FH314176	XX.XX	XX.XX
Filler plate	1424, 1424C, L1524, L1533, L1534, L624, L634	FH313919	XX.XX	XX.XX
Pick up teeth	L1433, 1433C, L1524, L1533, L1534, L624, L633, L634	FH324064	XX.XX	XX.XX
Bill hook (assembly)	L1524, L1533, L1534, L624, L633, L634	AFH212461	XX.XX	XX.XX
Trigger	L1524, L1533, L1534, L624, L633, L634	AFH212462	XX.XX	XX.XX

## CROP PACKAGING SOLUTIONS

### JOHN DEERE XTRANET™ +

Only John Deere netwrap is designed specifically for your John Deere baler. The XtraNet™+ formula will reliably deliver all-day trouble-free baling.



### JOHN DEERE COVEREDGE™

CoverEdge™ netwrap's unique elasticated edge threads extend the net over the edge of the bale to eliminate shoulders.



### JOHN DEERE XTRATWINE™ PLUS

XTRATWINE™ is our new range of 5 top-quality solutions from the highest density to highest yield and combines the high performance of standard twine with a big increase in pack length. Save money, save time and work more efficiently.



### JOHN DEERE XTRAFILM™ STRETCHWRAP

Clings better, protects better. Now longer. John Deere XtraFilm™ baler wrap guarantees maximum performance backed by a team you trust.



## HAY MOISTURE TESTERS

Above 20% moisture, your hay quality decreases. Use our high-accuracy moisture testers to determine when your hay is ready or to check its quality during or after baling.



### WINDROW HAY MOISTURE TESTER – BEFORE BALING

Now test hay before you even start baling with the portable Windrow Hay Moisture Tester from John Deere. You no longer have to make a bale and use a probe-style tester to determine whether your hay is ready.

MCXFA1871  
€XX.XX | £XX.XX



### HAY MOISTURE TESTER – AFTER BALING

Easily test hay moisture after baling and before barn storage with a handheld probe tester.

MCXFA1872 | 45 cm Probe Pistol-grip Tester (moisture range: 14 to 44%)  
€XX.XX | £XX.XX

MCXFA1870 | 50 cm Probe Tester incl. calibration clip (moisture range: 8 to 44%)  
€XX.XX | £XX.XX




# MOWER CONDITIONER PARTS AND ATTACHMENTS

Find everything to maintain your MoCo like a pro and make sure it delivers the high output and precise conditioning you rely on it for.

## JOHN DEERE MOWER CONDITIONER ORIGINAL PARTS

### SUPERIOR WEAR AND RUST RESISTANCE



### CLEAN CUTTING

Designed specifically for our machines, John Deere Mower Conditioner Knives provide premium cutting and conditioning quality. They are made from boron steel with enhanced impact resilience. Their toughness allows these knives to bend rather than break, and no breakage means there's no steel in the forage, making it safe for your livestock. John Deere Knives have been specifically designed for optimal wear resistance, so they will stay sharper for long-term cutting quality. Our corrosion resistant powder coating prevents rust, and keeps cutting power consumption to a minimum.

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Knife – right hand end	131, 1355, 1365, 1465, 324, 328, 331, 530, 535, 730, 735, 324A, 328A, 381, 388, 488, 630, 635, 830, 835	FH304879	XX.XX	XX.XX
Knife – left hand end cutterbar	131, 1355, 1365, 1465, 324, 328, 331, 530, 535, 730, 735, 324A, 328A, 381, 388, 488, 630, 635, 830, 835	FH304880	XX.XX	XX.XX







# SEEDER & PLANTER PARTS AND ATTACHMENTS

Many agronomic factors lead to top yields – but you'll only get there with well-maintained seeder and planter components.



## EXPERT TIP

Ensure a correct population, uniform spacing and emergence, and maximum work windows with our original tip-top components.

## PLANTERS

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Tru-Vee opener (3 mm)	Pro Series & MaxEmerge™ Plus Planting Units	AA55927	XX.XX	XX.XX
Tru-Vee opener (3.5 mm)	Pro Series & MaxEmerge™ Plus Planting Units	AA53860	XX.XX	XX.XX
Tru-Vee opener (3.5 mm)	Heavy-duty blade with XP double-row bearing retrofit for John Deere ME2 and ME+	AA65457	XX.XX	XX.XX
3.5 mm heavy duty blade	W/ double-row bearing for XP and EE row-unit	AA65248	XX.XX	XX.XX
Stud kit for blade retrofit	ME2 and ME+	AA66947	XX.XX	XX.XX
Knocker assembly	All planters	A53272	XX.XX	XX.XX
Knocker – sugarbeets/sorghum	All planters	AH129125	XX.XX	XX.XX
Knocker – ProMax 40	All planters	AA37348	XX.XX	XX.XX



AA55927



A53272

## SEEDERS

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Spoked gauge wheel	740A, 750A, 1560, 1590	AA98187	XX.XX	XX.XX
Wheel, Steel gauge	750A, 1560	AA66599	XX.XX	XX.XX
Disk colter*	750A, 1590	N283804	XX.XX	XX.XX
Seed boot, LH	750A, 1590	N284045	XX.XX	XX.XX
Seed boot, RH	750A, 1590	N284044	XX.XX	XX.XX
Tru-width™ sweep	740A	N182042	XX.XX	XX.XX
Seed boot, LH – Extended wear	750A, 1890, 1895	N284025	XX.XX	XX.XX
Seed boot, RH – Extended wear	750A, 1890, 1895	N284024	XX.XX	XX.XX

\* Do not mix high carbon and boron blades on same drill.



AA98187



N284045



## SPRAYER PARTS AND ATTACHMENTS

Adapt your sprayer to your needs, conditions, and goals by adding the attachments that will maximise your productivity.

### NEW RETROFITTABLE JOYSTICK



AKK41449

This user-friendly joystick can replace your original one for a more comfortable, ergonomic experience.

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
For standard selective control valves	M700, M900	AKK41448	XX.XX	XX.XX
For electronic hydraulic valves	M700(i), R900i, M900(i), R900i	AKK41449	XX.XX	XX.XX
Front armrest mounting bracket	M700(i), R700i, M900(i), R900i	BWZ10046	XX.XX	XX.XX

This new joystick might require an additional harness, or a software update – please ask your dealer for a serial number-based quotation



Our "Do it your way" brochure includes a broader selection of attachments for John Deere sprayers. Ask us for your copy now!



### EXPERT TIP

#### ADDITIONAL SECTION

Our trailed sprayers can manage up to 15 spray sections but are usually set up with 4 to 13 sections according to your boom width and needs. Use our kits to add additional sections – for example, easily attach 1 m sections at each end of your boom for spraying close to ditches or sensitive crops.

BWZ10001 | 1 additional section for Pressure Recirculation system, M700(i), R700i, M900(i), R900i  
€XX.XX | £XX.XX

BWZ10002 | 1 additional section for TwinSelect™ system, M900i, R900i  
€XX.XX | £XX.XX

## UPGRADE FOR YOUR AUTOMATIC BOOM CONTROL


For sprayers already equipped with 2 or 3 sensors, on booms of 27 meters and wider two additional sensor can be mounted for TerrainControl Pro or TerrainCommand Pro to create two additional measuring points. That's especially beneficial in very uneven fields or for bedded crops in early growth stages. In addition, a 4 or 5 sensor system enables the use of TerrainControl Pro or TerrainCommand Pro in symmetric reduced working widths, where the left and right outer sensors are disabled, and the inner left and right sensors are active.

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
2 part folded boom	M700(i)	BWZ10010	XX.XX	XX.XX
3 part folded boom	M700(i)	BWZ10070	XX.XX	XX.XX
2 part folded boom	M900(i), R900i	BWZ10012	XX.XX	XX.XX
3 part folded boom: 27/21 m and 28/20 m	M900(i), R900i	BWZ10015	XX.XX	XX.XX
3 part folded boom (all other)	M900(i), R900i	BWZ10069	XX.XX	XX.XX
2 part folded boom: 27/15, 28/15 or 30/15 m	R40 & R41 Series with 40i & 50i sprayers	BWZ10016	XX.XX	XX.XX
2 part folded boom (all other)	R40 & R41 Series with 40i & 50i sprayers	BWZ10017	XX.XX	XX.XX
Carbon fibre boom	R40 & R41 Series with 40i & 50i sprayers	BWZ10018	XX.XX	XX.XX

## BREAKAWAY PROTECTION

Protect sprayer nozzles, nozzle bodies and other parts against damages when driving on field borders or during transport next to bushes and trees.

SERIES	PART NUMBER	PRICE €	PRICE £
<b>BASE PROTECTION KIT</b>			
M700(i), R700i	BWZ10079	XX.XX	XX.XX
M900(i), R900i, R40 & R41 Series with 40i & 50i sprayers with steel boom	BWZ10080	XX.XX	XX.XX
<b>PROTECTION EXTENSION KIT</b>			
M700(i), R700i	BWZ10082	XX.XX	XX.XX
M900(i), R900i, R40 & R41 Series with 40i & 50i sprayers with steel boom	BWZ10083	XX.XX	XX.XX



## STAINLESS STEEL BASKET

Helpful when using a lot of powders or granulate. The stainless steel basket adds a rinse nozzle to dissolve material which was transferred into the basket sieve in the tank lid without being dissolved in the eductor.


SERIES	PART NUMBER	PRICE €	PRICE £
All Series	BWZ10054	XX.XX	XX.XX



## STAINLESS EDUCTOR LEVEL GAUGE

Get an accurate read on the plant protection mix present in the eductor.

SERIES	PART NUMBER	PRICE €	PRICE £
M900(i), R900i, R40 & R41 Series with 40i & 50i sprayers	BWZ10071	XX.XX	XX.XX
M700(i), R700i, 5430i	BWZ10072	XX.XX	XX.XX





# SPRAY NOZZLES

You've invested in a high-performance sprayer because you're looking for top results. Unlock your machine's full potential by selecting the proper nozzle for the job.



Our spray nozzle brochure provides additional information: ask us for your copy of "The key to successful spraying".



## STRAIGHT STREAM CERAMIC

Perfect for reducing scorching when spraying fertilizer.



## ULTRA LOW-DRIFT

One of the very few nozzles certified for 90% drift reduction.




## GUARDIANAIR TWIN™

The perfect solution for balancing coverage and drift reduction.



## ULTRA-LOW DRIFT CERAMIC 120°

Large, air-filled droplets for ideal drift reduction.



## LOW-DRIFT AIR CERAMIC 120°

Excellent balance between drift reduction and coverage with the increased strength of ceramic.



## GUARDIANAIR TWIN™ CERAMIC 120°

Highly versatile nozzle for outstanding balance between drift reduction and coverage.




For help with the right nozzle and nozzle size choices, please use the Nozzle Select functionality in the John Deere EquipmentPlus app – available for Android, MacOS or iOS devices.




Android



MacOS and iOS





# GATOR™ PARTS AND ATTACHMENTS

Whether you use your gator in the field, rough mountain terrain, at the beach or in the forest: you can enhance cab comfort, boost versatility or upgrade your storage capacity with a wide range of attachments. Check them out right here.

## CAB COMFORT

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Sport Steering Wheel	XUV835M, XUV865M, XUV865R, All XUV500 series	BM23933	XX.XX	XX.XX
Tablet mount	XUV835M, XUV865M/R	BUC10175	XX.XX	XX.XX
Stereo Mounting Kit (incl. Speakers), requires separate headradio unit	XUV825i, XUV855D/M, HPX (deluxe cab)	BM24453	XX.XX	XX.XX
Stereo Mounting Kit (incl. Speakers), requires separate headradio unit	XUV835 and XUV865 Utility Vehicles	BUC10726	XX.XX	XX.XX
18" Replacement seat – yellow	HPX, TE, TH, TX, XUV550 (2 and 4 seater), XUV850D (when fitting individual seats)	VLD1836	XX.XX	XX.XX
Visor Kit (for deluxe cab)	XUV855D/M (2 seaters), XUV825i, HPX	BM21646	XX.XX	XX.XX
Abrasion-resistant half front windshield	XUV500 series	BM25259	XX.XX	XX.XX
Rear window kit (for deluxe cab)	XUV855D/M (2 seaters), XUV825i, HPX	BM23505	XX.XX	XX.XX
Abrasion-resistant Poly Rear Window	XUV800 series (2 seater, MY 2017 and older), all HPX (except MY15)	BM25147	XX.XX	XX.XX
Rear screen	XUV835M/ XUV865M/R	BUC10281	XX.XX	XX.XX
Rear Panel Canvas	XUV590 (incl. 4 seater)	BM26000	XX.XX	XX.XX
Cab Heater	XUV835M, XUV865M (MY18+)	BM26642	XX.XX	XX.XX
Cab Heater (requires fitting kit below)	XUV800 series (-MY17), all HPX	BM23608	XX.XX	XX.XX
Cab Heater Fitting Kit	XUV855D, HPX (-MY17)	VGB10548	XX.XX	XX.XX

You did not find what you were looking for? The table only shows a small selection of our cab comfort attachment range. Talk to your dealer for more options.



## CARGO BOX STORAGE OPTIONS

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Cargo Box Bed Mat	All XUV800 series, HPX815E (MY18+)	BM22772	XX.XX	XX.XX
Cargo Box Power Lift	HPX815E	BUC10683	XX.XX	XX.XX
Cargo Box Power Lift	XUV590, XUV590 S4, XUV550 S4	BM24812	XX.XX	XX.XX
Cargo Box Power Lift	All XUV800 series, HPX (-MY2017)	BM26414	XX.XX	XX.XX
Remote Cargo Box Release Kit	All HPX	VGB10507	XX.XX	XX.XX
Cargo Box Bedliner	HPX (-MY17)	BM25049	XX.XX	XX.XX
Cargo Bed Extender	XUV865M/R, XUV835M, HPX815E	BM25700	XX.XX	XX.XX
Cargo Box Divider	All XUV800 series	BM22769	XX.XX	XX.XX
Cargo Box Rails	All XUV500 series	BM23526	XX.XX	XX.XX
Cargo Box Wall Extension Kit	XUV800 series & HPX815E (MY18+)	BM24901	XX.XX	XX.XX
Cargo Box Wall Extension Kit	All XUV500 series	BM23384	XX.XX	XX.XX
Side Tool Rack	All XUV800 series	BM22775	XX.XX	XX.XX
18.9271 L (5 gal) Pail Holder	All XUVs	BM23849	XX.XX	XX.XX
Side Storage Box	All HPX	BM22776	XX.XX	XX.XX



BM24812



BM25700



BM22769



BM23526



BM22772



### EXPERT TIP

Use our cargo box storage options to prevent your load from sliding around and stay organised when the terrain gets bumpy.



BM22775



BM23849



BM22776

## ALARM & PROTECTION

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Backup Alarm	XUV825i, XUV855D/M, XUV835M, XUV865M (-MY20)	BM24726	XX.XX	XX.XX
Backup Alarm	XUV850D, HPX (-MY 20)	BM25046	XX.XX	XX.XX
Backup Alarm	XUV835, XUV865, XUV855 S4, HPX (MY21+)	BUC10804	XX.XX	XX.XX
Tail Light Protectors	XUV825i, XUV855D, XUV835M, XUV865M, HPX815E	BM22773	XX.XX	XX.XX
<b>MISCELLANEOUS</b>				
Switch Bank (OPS)	All UV (besides XUV835M, XUV865M)	BM24089	XX.XX	XX.XX



BM22773



BM24089

## BEACON LIGHTS, TURN SIGNALS, LEDS AND MISCELLANEOUS

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
<b>BEACON LIGHTS</b>				
Beacon Light	All UV (besides XUV835M, XUV865M – No MY15)	BM25553	XX.XX	XX.XX
Beacon Light	XUV835M, XUV865M, XUV865R	BUC10138	XX.XX	XX.XX
Beacon Light – Deluxe Cab	All XUV855M/D (no S4), All HPX, All XUV825i	BM21649	XX.XX	XX.XX
<b>TURN SIGNALS</b>				
Turn signals (includes front/rear turn signals, hazards, backlit switches; requires additional harness below)	XUV800 series (MY11+), XUV835, XUV865 series	BUC10608	XX.XX	XX.XX
Turn Light Harness Kit	XUV800 series (-MY17), all HPX	BM26183	XX.XX	XX.XX
Front attachment harness	XUV865M, XUV835M	BM26265	XX.XX	XX.XX
<b>LEDS</b>				
LED Driving Light	All UV (besides XUV835M, XUV865M – No MY15), XUV835M, XUV865M	BM26215	XX.XX	XX.XX
LED Work Light	All UV (besides XUV835M, XUV865M – No MY15), XUV835M, XUV865M, XUV865R	BM26216	XX.XX	XX.XX
Low Profile LED Work Light	All UV (Universal, Screw on mounting bracket)	MCXFA1957	XX.XX	XX.XX
<b>MISCELLANEOUS</b>				
Work Light (Halogens)	All UV (besides XUV835M, XUV865M /R – No MY15)	BM25544	XX.XX	XX.XX
Front Light Kit – Deluxe Cab	All XUV855D/M (no S4), All XUV825i, All HPX	BM21651	XX.XX	XX.XX
Rear Light Kit – Deluxe Cab	All XUV855D/M (no S4), All XUV825i, All HPX	BM21652	XX.XX	XX.XX
Interior Light Kit – Deluxe Cab	All XUV855D/M (no S4), All XUV825i, All HPX	BM21656	XX.XX	XX.XX
Battery powered magnetic LED caution light	All UV (Universal, magnetic mounted)	MCXFA1935	XX.XX	XX.XX



BM21649



BM26216



BM25544



BM21652



BM21656



BM21651



### EXPERT TIP

#### DRIVE SAFELY

Our LED Driving Lights are the right choice when you need versatile mounting options for an intense and focused 1,150 lumens-per-light beam pattern that's perfect for the road.

## GUARDS

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
<b>BRUSHGUARDS</b>				
Brushguard	XUV835M, XUV865M, XUV865R	BUC10679	XX.XX	XX.XX
Brushguard Extensions	XUV835M, XUV865M, XUV865R	BUC10141	XX.XX	XX.XX
Brushguard	All XUV560, All XUV590/S4, XUV550	BM23365	XX.XX	XX.XX
Heavy Duty Brushguard	All XUV855M/D incl S4, All XUV825i, HPX815E	BM22841	XX.XX	XX.XX
<b>CVS</b>				
CV Guards Front & Rear	XUV835M, XUV865M, XUV865R	BUC10761	XX.XX	XX.XX
CV Guards Rear	All XUV855M/D incl S4, All XUV825i	BUC10605	XX.XX	XX.XX
CV Guards Front	All XUV855M/D incl S4, All XUV825i	BUC10978	XX.XX	XX.XX



BUC10679



BUC10141



BUC10761



BM23365



BM22841



## FENDERS

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Fender Guard Heavy-Duty	XUV855M/S4, HPX815E	BM22987, UC14255, UC14256	XX.XX	XX.XX
Fender Guard Heavy-Duty	All HPX (besides HPX815E)	BM22618	XX.XX	XX.XX
Fender Guard Heavy-Duty	All XUV855D incl S5, All XUV825i	BM22987	XX.XX	XX.XX
Fender Guards Cargo Box	XUV835M, XUV865M, XUV865R	BM26129	XX.XX	XX.XX
Fender Guards Cargo Box	All XUV855M/D incl S4, All XUV825i	BM22811	XX.XX	XX.XX
Fender Guards Front	XUV835M, XUV865M, XUV865R	BUC10247, UC14255, UC14256	XX.XX	XX.XX
Fender Guards Front	All XUV560, All XUV590/S4, XUV550	BM23394	XX.XX	XX.XX
Rear Bumper	XUV835M, XUV865M, XUV865R, All XUV855M/D incl S4, All XUV825i	BM22767	XX.XX	XX.XX
Rear Bumper	All XUV560, All XUV590/S4, XUV550	BM23362	XX.XX	XX.XX



BM26129



BM23394



BM22767, BM23362



BM22811

## HITCHES AND DRAWBARS

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Drawbar – 51 mm (2 in.)	All XUV and HPX (besides XUV835M & XUV865M)	BM22290	XX.XX	XX.XX
Drawbar, 1.25 in. (38 mm)	All HPX (besides HPX815E)	BM23989	XX.XX	XX.XX
Hitch Ball 50 mm	XUV550/S4, XUV560E, XUV590M/ S4, XUV825i/S4, XUV855D/ S4	BUC10618	XX.XX	XX.XX
Hitch Rear (Homologated for use on public roads)	All XUV560, All XUV590/S4, XUV550, HPX815E	BUC10886	XX.XX	XX.XX



BM22290



BM23989



BUC10618



BUC10886

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
<b>STORAGE AND RACKS</b>				
Front Hood Rack	XUV835M & XUV865M, XUV865R	BM26109	XX.XX	XX.XX
Front Hood Rack	XUV855M/S4, HPX815E, All XUV825i, All XUV855D/S4	BM22980	XX.XX	XX.XX
Underhood storage tub with removable tool tray	XUV835M & XUV865M, XUV865R	BUC10167	XX.XX	XX.XX
<b>WINCHES</b>				
Winch Accessories Kit	All XUV and HPX	BM21392	XX.XX	XX.XX
Winch Remote Wireless	All XUV and HPX	BM26662	XX.XX	XX.XX
WARN ProVantage 2,041 kg (4,500 lb) Winch	XUV835M & XUV865M, XUV865R, XUV855M S4 + MY17 XUV855D S4	BUC10682	XX.XX	XX.XX



BM26109



BUC10167



BM26662



BUC10682





# ACCESSORIES

Discover our wide selection of accessories to make your work easier and safer.

## UNIVERSAL RADIOS


DESCRIPTION	PART NUMBER	PRICE €	PRICE £
CanBus friendly DAB+ CD Radio with Bluetooth, AUX in and USB	VLC5802	XX.XX	XX.XX
CanBus friendly DAB+ Radio with Bluetooth, AUX in and USB	VLC5801	XX.XX	XX.XX
DMR Bluetooth Radio with Spotify & Alexa	MCXFA1800	XX.XX	XX.XX
CD Bluetooth Radio with Spotify	MCXFA1801	XX.XX	XX.XX
DMR Bluetooth DAB+ Radio with Spotify & Alexa	MCXFA1802	XX.XX	XX.XX
CD Bluetooth DAB+ Radio with Spotify & Alexa	MCXFA1803	XX.XX	XX.XX

All radios are compatible with iPhone and Android.



## RADIO ACCESSOIRES

DESCRIPTION	PART NUMBER	PRICE €	PRICE £
100mm dual cone speakers x 2	MCXFA1880	XX.XX	XX.XX
Aerial extension cable	MCXFA1886	XX.XX	XX.XX
Metal spring audio antenna	MCXFA1884	XX.XX	XX.XX
Dipole antenna	MCXFA1885	XX.XX	XX.XX
DAB antenna windscreen	MCXFA1103	XX.XX	XX.XX
DAB antenna splitter	MCXFA1104	XX.XX	XX.XX
Radio connector	MCXFA1114	XX.XX	XX.XX





To find the right camera system for your application please use this QR code.

## CAMERA SYSTEMS

No matter how challenging your ag operations get, and no matter what machines and implements you use, intelligent camera systems from John Deere will bring an extra level of ease and precision to the job.



## PORTABLE 12V IN MINI-FRIDGE

Ideal for use in tractor, combine or other machine cabs and vehicles. Suitable for bottles, cans and food containers. Dual cool / heating modes, perfect for keeping food cool in summer and warm when needed.

DESCRIPTION	PART NUMBER	PRICE €	PRICE £
Portable 12v in mini-fridge	MCXFA2351	XX.XX	XX.XX

## WIPER BLADES

Moulded from 100% natural rubber for low-noise and judder-free wiping in a versatile full-metal frame with multi-fit adaptors included.



DESCRIPTION	PART NUMBER	PRICE €	PRICE £
Wiper blade 460 mm (18")	MCXFA1754	XX.XX	XX.XX
Wiper blade 510 mm (20")	MCXFA1756	XX.XX	XX.XX
Wiper blade 530 mm (21")	MCXFA1757	XX.XX	XX.XX
Wiper blade 560 mm (22")	MCXFA1758	XX.XX	XX.XX
Wiper blade 610 mm (24")	MCXFA1759	XX.XX	XX.XX

## BEACON LIGHTS

These lights create the extra attention to ensure that others on the road are well aware of you and the large implements behind you.



DESCRIPTION	PART NUMBER	PRICE €	PRICE £
Original beacon light	AZ101891	XX.XX	XX.XX
Flexi pole mounted LED beacon	MCXFA1077	XX.XX	XX.XX
Flexi mount beacon	MCXFA1571	XX.XX	XX.XX
Compact flexi mount beacon	MCXFA1572	XX.XX	XX.XX
Flexi globe beacon	MCXFA1574	XX.XX	XX.XX
Magnetic base LED beacon	MCXFA1078	XX.XX	XX.XX
Magnetic base beacon	MCXFA1570	XX.XX	XX.XX
Bolt mounted LED beacon	MCXFA1079	XX.XX	XX.XX
Compact pole mounted LED beacon DIN A	MCXFA1099	XX.XX	XX.XX
LED amber warning dual beacon. Magnetic	MCXFA1937	XX.XX	XX.XX
LED amber warning dual beacon. Bolt mounted	MCXFA1938	XX.XX	XX.XX
Ultra slim LED warning beacon. Magnetic	MCXFA1939	XX.XX	XX.XX
Ultra slim LED warning beacon. DIN mounted.	MCXFA1940	XX.XX	XX.XX
LED 595 mm long magnetic mounted low-profile amber warning beacon	MCXFA1941	XX.XX	XX.XX
LED 595 mm long bolt mounted low profile amber warning beacon	MCXFA1942	XX.XX	XX.XX
LED 310 mm long magnetic mounted low-profile amber warning beacon	MCXFA1943	XX.XX	XX.XX
LED 310 mm long bolt mounted low profile amber warning beacon	MCXFA1944	XX.XX	XX.XX

## UNIVERSAL LED LIGHT BARS

DESCRIPTION	PATTERN	EFF. LUMENS	PART NUMBER	PRICE €	PRICE £
335 mm	Flood	4,800	MCXFA1980	XX.XX	XX.XX
615 mm	Flood	10,800	MCXFA1981	XX.XX	XX.XX
865 mm	Flood	16,200	MCXFA1982	XX.XX	XX.XX
543 mm	Combo	8,800	MCXFA1983	XX.XX	XX.XX
InstallationKit	-	-	MCXFA1984	XX.XX	XX.XX



## LIGHT BULBS

DESCRIPTION	PART NUMBER	PRICE €	PRICE £
Light bulb – 12v 21/5w OSP BAY15d	MCXFA1009	XX.XX	XX.XX
Light bulb – 12v 21w SCC BA15s	MCXFA1010	XX.XX	XX.XX
Halogen headlamp – 12v 55w H1 P14.5s	MCXFA1012	XX.XX	XX.XX
Halogen headlamp – 12v 55w H3 PK22s	MCXFA1013	XX.XX	XX.XX
Halogen headlamp – 12v 60/55w H4 P43t	MCXFA1014	XX.XX	XX.XX
Halogen headlamp – 12v 55w H7 PX26d	MCXFA1015	XX.XX	XX.XX
Halogen headlamp – 12v 50w PG13J	MCXFA1017	XX.XX	XX.XX



## LED BULBS

DESCRIPTION	FUNCTION	PART NUMBER	PRICE €	PRICE £
LED Bulb: Eq to 180. Cap type W2.5x16q. 600 Lumen	Stop and Tail	MCXFA2450	XX.XX	XX.XX
LED Bulb: Eq to 9005. Cap type P20D. 1000 Lumen	Headlamp	MCXFA2460	XX.XX	XX.XX
LED Bulb: Eq to 453. Cap type PK22S. 1000 Lumen	Headlamp	MCXFA2462	XX.XX	XX.XX
LED Bulb: Eq to 380. Cap type BAY15D. 600 Lumen	Stop and Tail	MCXFA2455	XX.XX	XX.XX
LED Bulb: Eq to 472. Cap type P42T. 750 Lumen	Headlamp	MCXFA2463	XX.XX	XX.XX
LED Bulb: Eq to 885. Cap type PG13. 1000 Lumen	Worklamp	MCXFA2456	XX.XX	XX.XX
LED Bulb: Eq to 448. Cap type P14.5S. 1000 Lumen	Headlamp	MCXFA2459	XX.XX	XX.XX
LED Bulb: Eq to 477. Cap type PX26D. 1000 Lumen	Headlamp	MCXFA2464	XX.XX	XX.XX
LED Bulb: Eq to 207/245/382. Cap type BA15S. 600 Lumen	Stop and Tail	MCXFA2454	XX.XX	XX.XX
LED Bulb: Eq to 886. Cap type PGJ13. 1000 Lumen	Headlamp	MCXFA2457	XX.XX	XX.XX
LED Bulb: Eq to 410. Cap type P45T. 1000 Lumen	Headlamp	MCXFA2458	XX.XX	XX.XX
LED Bulb: Eq to 709. Cap type PGJ19-5. 1000 Lumen	Headlamp	MCXFA2465	XX.XX	XX.XX
LED Bulb: Eq to 209. Cap type BA15D. 600 Lumen	Stop and Tail	MCXFA2453	XX.XX	XX.XX
LED Bulb: Eq to 894. Cap type PGJ13. 1000 Lumen	Headlamp	MCXFA2466	XX.XX	XX.XX



## TORCHES AND ACCESSORIES

DESCRIPTION	PART NUMBER	PRICE €	PRICE £
LED Inspection Light	MCXFA1807	XX.XX	XX.XX
LED Combination Pack. Includes head lamp and LED key ring torch	MCXFA1805	XX.XX	XX.XX
LED Key ring torch	MCXFA1800	XX.XX	XX.XX





Fixed mounting bracket 6R, BL16768

## FIXED MOUNTING BRACKETS FOR TRACTORS

DESCRIPTION	SERIES	PART NUMBER	PRICE €	PRICE £
Right hand window mounted	7R, 8R, 9R	RE317435	XX.XX	XX.XX
Right hand window mounted	7020-7030, 8000-8030, 9020-9030	BRE10141	XX.XX	XX.XX
Right hand window mounted	6R	BL15042	XX.XX	XX.XX
Utility tray for RE317435 and BRE10141	-	BRE10142	XX.XX	XX.XX
Universal, fully adaptable mounting bracket	Most 5-9 Series tractor cabs	RE343680	XX.XX	XX.XX
C-post bracket	6030, 6030 Premium, 6M	BL15158	XX.XX	XX.XX
B-post bracket	6MC, 6RC	SJ20109	XX.XX	XX.XX
A- or B-post bracket	Most 5-9 Series tractor cabs	AL175909	XX.XX	XX.XX
CommandARM™ bracket for tablet holder	6R, 7R, 8R	BRE10501	XX.XX	XX.XX
Short Vertical Mounting Rail	Most 5-9 tractor cabs	BRE10464	XX.XX	XX.XX
Right side Window Mounting Bracket	7R-8RX (MY20-)	BRE10465	XX.XX	XX.XX
Headliner Mounting Rail	7R-8RX (MY20-)	R558980	XX.XX	XX.XX
Fixed mounting bracket	6R	BL16768	XX.XX	XX.XX



## FIXED MOUNTING BRACKETS FOR HARVESTING MACHINES

DESCRIPTION	PART NUMBER	PRICE €	PRICE £
<b>MOBILE MOUNTING BAR, RH</b>			
Combines (MY2012-13)	BXE10481	XX.XX	XX.XX
Combines (MY2014+), Windrowers W235 and W260	BXE10927	XX.XX	XX.XX
8000, 9000 Series SPFH, Combines (MY2012-)	AL212605	XX.XX	XX.XX
<b>MISCELLANEOUS</b>			
Slide mount with ball for mounting bar	BXE10480	XX.XX	XX.XX



## MOUNTING BRACKETS FOR MOST MACHINES

DESCRIPTION	PART NUMBER	PRICE €	PRICE £
<b>WITH TWIST-LOCK SUCTION CUP</b>			
X-Grip mobile holder	BXE10606	XX.XX	XX.XX
X-Grip tablet holder	BXE10607	XX.XX	XX.XX
<b>WITH SCREW PLUG FOR BRACKETS OR THREADS</b>			
X-Grip mobile holder	BRE10015	XX.XX	XX.XX
Tablet holder	BRE10255	XX.XX	XX.XX
X-Grip tablet holder	BXE10479	XX.XX	XX.XX
<b>WITH CLAMP FOR BRACKETS BRE10465, BRE10464, R558980</b>			
X-Grip tablet holder	BXE10864	XX.XX	XX.XX

## BUILD YOUR OWN MOUNTING BRACKET

DESCRIPTION	PART NUMBER	PRICE €	PRICE £		
Clamps	2.54 cm	Length 13.34 cm	RE561251	XX.XX	XX.XX
Clamps	2.54 cm	Length 7.62 cm	RE558819	XX.XX	XX.XX
Clamps	3.81 cm	Length 11.76 cm	PF80459	XX.XX	XX.XX
Ball mounts with plates	3.81 cm	Mount for GreenStar™ GS2/GS3	PF11019	XX.XX	XX.XX
Ball mounts with plates	3.81 cm	Rectangular mounting plate for GreenStar™ GS4240 and GS4640	UC17356	XX.XX	XX.XX
Ball mounts with plates	2.54 cm	Diamond mount	R540530	XX.XX	XX.XX
Ball mounts with U-bolts	3.81 cm	Single U-bolt	PF80460	XX.XX	XX.XX
Ball mounts with U-bolts	3.81 cm	Double U-bolt	PF19197	XX.XX	XX.XX
Holder	2.54 cm	X-Grip Mobile Phone Mount	RE558822	XX.XX	XX.XX
Holder	No ball	Tablet Mount Assembly	RE561252	XX.XX	XX.XX
Assembled parts	Clamp (7.62 cm)	with ball (3.81 cm) on round mounting plate	RE574454	XX.XX	XX.XX
Assembled parts	Clamp (6.35 cm)	with ball (3.81 cm) on rectangular mounting plate (UC17356)	AL212683	XX.XX	XX.XX

## ADDITIONAL PARTS FOR MOUNTING BRACKETS

DESCRIPTION	PART NUMBER	PRICE €	PRICE £
<b>FOR BRACKETS BRE10465, BRE10464, R558980</b>			
2.54 cm T-Slot Ball Mount	BRE10482	XX.XX	XX.XX
3.81 cm T-slot ball mount	BRE10483	XX.XX	XX.XX
Harness Managing Hook	R562310	XX.XX	XX.XX
Clamp for connecting AL212683, RE574454 with the brackets	AXE59372	XX.XX	XX.XX
<b>FOR 10 MM THREADS AND BRACKETS WITH HORIZONTAL SLOT ORIENTATION</b>			
2.54 cm ball	RE558821	XX.XX	XX.XX
3.81 cm ball	RE576490	XX.XX	XX.XX
Knob for mounting balls to brackets	RE343685	XX.XX	XX.XX



# MAINTENANCE PARTS

## BATTERIES



### APPLICATIONS

### STRONGBOX™ BATTERIES (SELECTION)

When reliable performance is crucial, StrongBox™ batteries are your only choice. Get superior performance for all makes of heavy and light duty equipment, and in environments ranging from golf courses to heavy-duty off-road work situations.\*



APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Utility vehicles, riding mowers	GR51	50	500	236/126/219	MCYP25876
Compact utility tractors, utility vehicles, riding mowers	GR45	47	465	239/139/222	MCYP25881



APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Combines	GR27	75	610	323/174/220	MCYP25272
Combine, Tractors	GR31	95	950	330/175/238	MCYP36879B



APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Compact utility tractors, Large Tractors	GR31	105	800	330/172/238	MCYP25879
Combines, Mid Tractors	GR31	95	900	330/172/238	AXE66451



APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Older Utility Tractors	H5 / LN2	55	480	247/175/190	AL203836
Older Utility Tractors	H6 / LN3	70	570	278/175/190	AL203837
Utility Tractors, Combines, SPFH	H8 / LN5	88	680	353/175/190	AL203838
Utility and Mid Tractors	H9 / LN6	110	850	394/175/190	AL175868



APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Compact utility tractors	22NF	47	465	240/140/227	MCYP26498
Utility and Mid Tractors not for iT4 Engines, Combines	D	110	850	413/175/220	AL205731
Utility and Mid Tractors iT4 Engines	A	154	1150	513/189/223	AL203839
Mid Tractors, Combines, SPFH, Sprayer	B	174	1400	513/223/223	AL203840
Construction Equipment	4DM	210	1300	530/210/244	MCYP23020

\* All batteries are 12V and already factory-activated, ready to install. Ask your John Deere dealer about his latest offers.

## PERFORMANCE BATTERIES (SELECTION)

The John Deere Performance Line of batteries is a great lower-cost alternative when you don't need the premium features of StrongBox™ Batteries. They are perfect for on-road and off-road vehicles. All Performance Batteries are wet.\*



### APPLICATIONS

APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Tractors, construction equipment	D	100	600	413/175/220	MCYP600PF
Mid Tractors, Large Tractors	A	155	900	513/189/223	MCYP900PF
Large Tractors, Construction	B	180	1000	513/223/223	MCYP1000PF



APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Utility tractors	GB28	100	800	313/175/210	MCYP800PFLH4
Sprayer, CUT	GR34	60	680	278/174/198	MCYP700PF



APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Mid Tractors	LOT7	110	680	347/173/234	MCYP680PF



APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Mid tractors, construction equipment	MAC110	110	760	514/175/210	MCYP760PF



APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Utility tractors	H5 / LN2	60	640	242/175/190	MCYP640PF
Tractors, automotive	H6 / LN3	70	720	278/175/190	MCYP720PF



APPLICATION	BOX SIZE	CAPACITY (AH)	COLD CRANKING A (EN)	DIMENSIONS L/W/H W/ POLE (MM)	PART NUMBER
Utility vehicles, riding mowers	U1R	22	340	196/131/183	MCYP340PF
Turf equipemnt	12N24-4	24	200	186/125/177	MCYP200PF



## BATTERY ACCESSOIRES

DESCRIPTION	PART NUMBER	PRICE €	PRICE £
Booster cable clip set 400A	MCXFA1206	XX.XX	XX.XX
Battery booster clamps 600A	MCXFA1657	XX.XX	XX.XX
Booster cable set 600A 3.5 m	MCXFA1207	XX.XX	XX.XX
Booster cable set 600A 5 m	MCXFA1208	XX.XX	XX.XX
Booster cable extra heavy duty 1000A 5 m	MCXFA1209	XX.XX	XX.XX





QR CODE

Looking for hand tools?  
Scan this code to see the  
entire catalogue!

## LUBRICANTS

Formulated for off-road machinery, our lubricants bring out the best in your machines – better performance, lower costs and longer life.

### ENGINE OIL – PLUS-50™ II

Premium engine oil, full fleet solution, also for low emission engines. John Deere exclusive formulation, developed for most severe demands and extreme operating temperatures. Allows extended drain intervals up to 750 hours\*.



DESCRIPTION	SIZE	PART NUMBER
Plus-50™ II 15w40, ACEA E9/E7, API CK-4/CJ-4/SN	200/209 L	VC50002x200
Plus-50™ II 15w40, ACEA E9/E7, API CK-4/CJ-4/SN	50/55 L*	VC50002x050
Plus-50™ II 15w40, ACEA E9/E7, API CK-4/CJ-4/SN	20 L	VC50002x020
Plus-50™ II 15w40, ACEA E9/E7, API CK-4/CJ-4/SN	5 L	VC50002x005
Plus-50™ II 5W40, ACEA E9/E7, API CK-4/CJ-4/SN	209 L	VC50005x200
Plus-50™ II 5W40, ACEA E9/E7, API CK-4/CJ-4/SN	20 L	VC50005x020
Plus-50™ II 5W40, ACEA E9/E7, API CK-4/CJ-4/SN	5 L	VC50005-005
Plus-50™ II 0W40, ACEA E9/E7, API CK-4/CJ-4/SN	200 L	MCTY26667200
Plus-50™ II 0W40, ACEA E9/E7, API CK-4/CJ-4/SN	20 L	MCTY26667

### ENGINE OIL – TORQ-GARD™

Standard-interval engine oil designed to control sludge and reduce corrosion in diesel engines up to stage IIIA.



DESCRIPTION	SIZE	PART NUMBER
Torq-Gard™ 15w40, ACEA E7/E5, API CH-4/SJ	1,000 L*	VC83070-1000
Torq-Gard™ 15w40, ACEA E7/E5, API CH-4/SJ	200/209 L	VC83070-200
Torq-Gard™ 15w40, ACEA E7/E5, API CH-4/SJ	50/55 L*	VC83070-050
Torq-Gard™ 15w40, ACEA E7/E5, API CH-4/SJ	20 L	VC83070-020
Torq-Gard™ 15w40, ACEA E7/E5, API CH-4/SJ	5 L*	VC83070-005

\* Available in certain countries only. Oils, coolants and greases are subject to price fluctuations. Please ask your John Deere Dealer about the latest offers.



## ENGINE OIL – TURF-GARD™

Recommended for all 4-cycle petrol engines used in lawn and garden tractors, walk-behinds, commercial mowers, and other outdoor powered equipment.



DESCRIPTION	SIZE	PART NUMBER
Turf-Gard™ 5w30, API SP, SN, SM, ILSAC GF-6A	1 L	MCTY25121

## TRANSMISSION HYDRAULIC OIL – HY-GARD™

Peace of mind protection: exclusive John Deere high pressure formulation with proper viscosity over a wide range of temperatures. Hy-Gard™ exceeds JDM J20C specification and John Deere RES10060 factory tests.



DESCRIPTION	SIZE	PART NUMBER
Hy-Gard™, JDM J20C	1,000 L*	VC81824-1000
Hy-Gard™, JDM J20C	200/209 L	VC81824-200
Hy-Gard™, JDM J20C	50/55 L*	VC81824-050
Hy-Gard™, JDM J20C	20 L	VC81824-020
Hy-Gard™, JDM J20C	5 L	VC81824-005
Hy-Gard™ Low Viscosity, JDM J20D	20 L*	VC81817-020
Bio Hy-Gard™ II, JDM J20C	200 L	MCYU70643200
Bio Hy-Gard™ II, JDM J20C	20 L	YU70643-020



## GEAR OIL – EXTREME-GARD™

High pressure tractor transmission oil for the effective lubrication of mechanical transmissions and gear boxes.



DESCRIPTION	SIZE	PART NUMBER
Extreme-Gard™ 80w90, API GL-5	20 L	VC82610x020
Extreme-Gard™ 80w90, API GL-5	1 L	VC82610x001
Extreme-Gard™ 85w140, API GL-5	20 L	VC82609-020
Extreme-Gard™ LS 90 for limited-slip differentials	5 L	VC87939-005
Extreme-Gard™ LS 90 for limited-slip differentials	20 L	VC87939-020

## COOLANT – COOL-GARD™ II

Unique premium John Deere Coolant ready-to-use 50/50 premix, perfect for all your equipment and also for pumps, generators, compressors and on-road vehicles. Extended drain intervals up to 6 years/6,000 hours for lower cost of operation.



DESCRIPTION	SIZE	PART NUMBER
Cool-Gard™ II	1,000 L*	YU76215-1000
Cool-Gard™ II	200 L	VC76215-200
Cool-Gard™ II	20 L	VC76215-020
Cool-Gard™ II	5 L	VC76215-005



## GREASES

Our grease is formulated for tough off-road and on-road conditions. It's ideal for tractors, harvesters, and turf machinery too. It protects your bearings, drive shafts and all other moving parts that require grease.

### MULTI-PURPOSE GREASES

Grease-Gard™ Premium Plus is our top of the line all-season lithium complex general-purpose grease for most of your equipment, including central lubrication systems.



DESCRIPTION	SIZE	PART NUMBER
Grease-Gard™ Premium – NLGI 2, ISO L-X-CCHB2	400 g	VC65723-004
Grease-Gard™ Premium – NLGI 2, ISO L-X-CCHB2	400 g Lube-Shuttle®	YU82712-004
Grease-Gard™ Premium – NLGI 2, ISO L-X-CCHB2	18 kg	VC65723-020
Grease-Gard™ Premium Plus – NLGI 2, ISO L-X-CDHB 2	400 g	VC67009-004
Grease-Gard™ Premium Plus – NLGI 2, ISO L-X-CDHB 2	400 g Lube-Shuttle®	YU82713-004
Grease-Gard™ Premium Plus – NLGI 2, ISO L-X-CDHB 2	18 kg	VC67009-020
Grease-Gard™ Premium Plus – NLGI 2, ISO L-X-CDHB 2	180kg	VC67009-180

### GREASE ACCESSORIES

Top of the line grease guns designed for the workshop, agricultural, or industrial applications – available for standard pull-off cartridges (DIN1284) and Lube-Shuttle® Screw Cartridges.



DESCRIPTION	PART NUMBER	PRICE €	PRICE £
One hand ergonomic Grease Gun, with zinc plated barrel for standard 400 g cartridges	MC3212131	XX.XX	XX.XX
One hand ergonomic Grease Gun, with zinc plated barrel for LubeShuttle cartridges	MC3026110	XX.XX	XX.XX
Manual grease gun with rigid tube for 400 g standard cartridges	MC3042134	XX.XX	XX.XX
Hydraulic safety coupler M10x1 – Safelock	MC3245504	XX.XX	XX.XX
Hydraulic safety coupler R1/8" – Safelock	MC3245603	XX.XX	XX.XX

Oils, coolants and greases are subject to price fluctuations. Please ask your John Deere Dealer about the latest offers.

\* Lube-Shuttle® is a registered trademark of MATO.

## FUEL ADDITIVES AND OTHER FLUIDS

### FUEL CONDITIONERS FOR DIESEL ENGINES


Fuel Protect prevents fuel system damage from contaminated fuel. You'll notice smoother starting, improved water tolerance and less exhaust smoke.



DESCRIPTION	SIZE	PART NUMBER
Fuel Conditioner for diesel engines, All-season Formula	1L	MCBF26701
Fuel Conditioner for diesel engines, All-season Formula	20 L	MCBF26720

# CHEMICALS

These are your daily problem solvers – the right “helpers” for every challenge. Keep your John Deere looking and performing like new.



**1 | SILICONE LUBRICANT**  
MCB011 | 500 ml  
€7.65 | £6.81



**2 | MULTIFUNCTIONAL GREASE**  
MCB018 | 600 ml  
€13.92 | £12.39



**3 | ELECTRICAL CONTACT CLEANER**  
MCB009 | 500 ml  
€7.99 | £7.11



**4 | PENETRATING OIL**  
MCB005 | 500 ml  
€7.01 | £6.24



**5 | CHAIN & CABLE LUBRICANT**  
MCB003 | 500 ml  
€7.08 | £6.30



**6 | HITECH LUBE**  
MCB004 | 500 ml  
€7.81 | £6.95



**7 | SPRAYER WINTER PROTECTION**  
MCB012 | 10 L  
€34.09 | £30.34



**8 | HAND CLEANER**  
MCB025 | 3.8 L  
€26.06 | £23.19



**9 | BRAKE & PARTS CLEANER**  
MCB008 | 600 ml  
€8.06 | £7.17



**10 | CLEAN & SHINE**  
MCB010 | 500 ml  
€7.74 | £6.89



**11 | ECO GLASS CLEANER**  
MCB006 | 500 ml  
€5.21 | £4.64



**11 | GLASS CLEANER FOAM**  
MCB015 | 600 ml  
€7.06 | £6.28



**12 | STARTING FLUID**  
MCB080 | 250 ml  
€7.13 | £6.35



**13 | BRAKE FLUID**  
MCB002 | 500 ml  
€6.53 | £5.81



**CORROSION PROTECT**  
A thick-film protective wax that is ideal for long term preservation.  
500 ml | MCB090

\* To be used for all penetrating lubrication.



## EXPERT TIP

### EVERYTHING YOU NEED

We cannot feature our entire accessories, maintenance and workshop portfolio in this catalogue, but you will find all you need at your dealer – from abrasive tools, hand tools to heavy duty cleaning wipes.



## AEROSOL AND CAN PAINTS

John Deere aerosol and can paints are made to the original formula used in the John Deere factories. They are ideally suited to repair your John Deere Machines and paint related mounted parts.



DESCRIPTION	APPLICATION	SIZE	PART NUMBER	PRICE €	PRICE £
Green paint	Aerosol	400 ml	MCF100	XX.XX	XX.XX
Yellow paint	Aerosol	400 ml	MCF101	XX.XX	XX.XX
Black paint, semi-gloss	Aerosol	400 ml	MCF102	XX.XX	XX.XX
Industrial Yellow	Aerosol	400 ml	MCF103	XX.XX	XX.XX
Construction Charcoal	Aerosol	400 ml	MCF106	XX.XX	XX.XX
Primer Beige	Aerosol	400 ml	MCF110	XX.XX	XX.XX
Green paint	Can	1 L	MCF1301	XX.XX	XX.XX
Yellow paint	Can	1 L	MCF1311	XX.XX	XX.XX
Black paint	Can	1 L	MCF1321	XX.XX	XX.XX
Construction Charcoal	Can	1 L	MCF1361	XX.XX	XX.XX
Primer Beige	Can	1 L	MCF1121	XX.XX	XX.XX
Green paint	Can	2.5 L	MCF13025	XX.XX	XX.XX
Yellow paint	Can	2.5 L	MCF13125	XX.XX	XX.XX
Thinner	Can	1 L	MCF1111	XX.XX	XX.XX
Thinner	Can	5 L	MCF1115	XX.XX	XX.XX
Handgrip to use with aerosol	Can	5 L	MCF120	XX.XX	XX.XX

## RELATED ACCESSORIES



DESCRIPTION	PACKAGE QTY	PART NUMBER	PRICE €	PRICE £
Paint brush 25 mm (1")	5	MCXFA3050	XX.XX	XX.XX
Paint brush 38 mm (1.5")	5	MCXFA3051	XX.XX	XX.XX
Paint brush 51 mm (2")	5	MCXFA3052	XX.XX	XX.XX
Paint brush 76 mm (3")	3	MCXFA3053	XX.XX	XX.XX
Masking tape 25 mm x 50m	5	MCXFA1175	XX.XX	XX.XX

## ABRASIVES



DESCRIPTION	PACKAGE QTY	CONTENTS QTY	PART NUMBER	PRICE €	PRICE £
<b>EMERY ROLL</b>					
25 mm x 50 m 150 grit	1	1	MCXFA2319	XX.XX	XX.XX
25 mm x 50 m 100 grit	1	1	MCXFA2320	XX.XX	XX.XX
25 mm x 50 m 60 grit	1	1	MCXFA2321	XX.XX	XX.XX
<b>STEEL WIRE WOOL</b>					
Grade 0 fine	1	1	MCXFA2322	XX.XX	XX.XX
Grade 2 medium	1	1	MCXFA2323	XX.XX	XX.XX
Grade 3 coarse	1	1	MCXFA2324	XX.XX	XX.XX